

Mettle Air[®]

Brass Fittings



LIMITATION OF LIABILITY

IN NO EVENT SHALL METTLEAIR BE LIABLE FOR ANY INDIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE DAMAGES OF ANY KIND, OR DAMAGES CAUSED BY DELAY IN PERFORMANCE, INCLUDING BUT NOT LIMITED TO LOST PROFITS OR REVENUE, COST OF SUBSTITUTES, ARISING FROM OR IN ANY WAY CONNECTED TO THIS AGREEMENT OR ORDER, WHETHER FOR BREACH OF WARRANTY OR OTHER BREACH OF CONTRACT, NEGLIGENCE OR OTHER TORT. METTLEAIR'S MAXIMUM LIABILITY FOR ANY CLAIMS ARISING FROM OR IN ANY WAY CONNECTED TO THIS AGREEMENT OR ORDER, WHETHER IN CONTRACT OR TORT OR OTHERWISE, SHALL NOT EXCEED THE INVOICED PURCHASE PRICE OF THE PRODUCT(S) GIVING RISE TO THE CLAIM.

It is agreed and acknowledged that the provisions of these Terms allocate the risks between MettleAir and the Buyer in a fair and equitable manner, MettleAir's pricing reflects this allocation of risk, and but for this allocation and limitation of liability, MettleAir would not have agreed to sell the Products to Buyer.

In jurisdictions that limit the scope of, or preclude limitations or exclusions of, remedies or damages or of liability such as liability for gross negligence or willful misconduct or do not allow implied warranties to be excluded, the limitation or exclusion of warranties, remedies, damages or liability set forth herein are intended to apply to the maximum extent permitted by applicable law.

CALIFORNIA PROPOSITION 65 WARNING

These products contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

WARNING: THESE PRODUCTS ARE NOT D.O.T. APPROVED

These products are not D.O.T. (Department of Transportation) approved and should not be used for automotive applications.

Product Specifications

Type	Temperature Range	Working Pressure
Barb to Barb	-40°F to 160°F (-40°C to 71°C)	0 to 250 PSI
Barb to Thread*	-40°F to 160°F (-40°C to 71°C)	0 to 250 PSI
Thread to Thread*	-65°F to 250°F (-53°C to 121°C)	0 to 1000 PSI
*Tapered threads such as NPT and BSPT (WITHOUT O-RINGS)		
Barb to Thread (O-Ring)**	-20°F to 160°F (-28°C to 71°C)	Vacuum to 125 PSI
Thread to Thread (O-Ring)**	-20°F to 160°F (-28°C to 71°C)	Vacuum to 125 PSI
**O-Rings are typically found on BSPP (G), UNF and Metric M series threads where applicable		

Cast Fittings Notice: All CAST fittings are limited to 125 PSI

Hose Barb Notice: Review both tubing and fitting max working pressures, do not exceed the LOWER pressure limit

For adapter fittings that combine O-Ring and tapered threads (No O-Ring), use the lower 125 PSI pressure limit.

Hose Barb x Male Thread



Part #	D1 (Hose ID)	T1 (Male)
125-1U10-SB	1/16"	10-32 UNF
125NP-1U10-SB	1/16"	10-32 UNF
125NP-1M3-SB	1/16"	M3 x 0.5
125NP-1M5-SB	1/16"	M5 x 0.8
125NP-1M6-SB	1/16"	M6 x 1.0
125-1A-SB	1/16"	1/8" NPT
125NP-1A-SB	1/16"	1/8" NPT
125NP-11-SB	1/16"	1/16" NPT
125-2U10	1/8"	10-32 UNF
125-2U10-DB	1/8"	10-32 UNF
125NP-2U10-DB	1/8"	10-32 UNF
125NP-21-SB	1/8"	1/16" NPT
125-2A	1/8"	1/8" NPT
125-2B	1/8"	1/4" NPT
125NP-2M3-SB	1/8"	M3 x 0.5
125NP-2M5-SB	1/8"	M5 x 0.8
125NP-2M6-SB	1/8"	M6 x 1.0
125NP-017U10-DB	0.17"	10-32 UNF
125-017U10-DB	0.17"	10-32 UNF
125-017A-DB	0.17"	1/8" NPT
125NP-3U10-SB	3/16"	10-32 UNF
125NP-31-SB	3/16"	1/16" NPT
125-3A	3/16"	1/8" NPT
125-3B	3/16"	1/4" NPT
125NP-4U10-SB	1/4"	10-32 UNF
125NP-41-SB	1/4"	1/16" NPT

Part #	D1 (Hose ID)	T1 (Male)
125-4A	1/4"	1/8" NPT
125-4B	1/4"	1/4" NPT
125-4C	1/4"	3/8" NPT
125-4D	1/4"	1/2" NPT
125-5A	5/16"	1/8" NPT
125-5B	5/16"	1/4" NPT
125-5C	5/16"	3/8" NPT
125-5D	5/16"	1/2" NPT
125-6A	3/8"	1/8" NPT
125-6B	3/8"	1/4" NPT
125-6C	3/8"	3/8" NPT
125-6D	3/8"	1/2" NPT
125-6E	3/8"	3/4" NPT
125-8B	1/2"	1/4" NPT
125-8C	1/2"	3/8" NPT
125-8D	1/2"	1/2" NPT
125-8E	1/2"	3/4" NPT
125-10B	5/8"	1/4" NPT
125-10C	5/8"	3/8" NPT
125-10D	5/8"	1/2" NPT
125-10E	5/8"	3/4" NPT
125-12C	3/4"	3/8" NPT
125-12D	3/4"	1/2" NPT
125-12E	3/4"	3/4" NPT
125-12H	3/4"	1" NPT
125-16D	1"	1/2" NPT
125-16E	1"	3/4" NPT
125-16H	1"	1" NPT
125-20H	1-1/4"	1" NPT

*NP Nickel Plated

*SB Single Barb

*DB Double Barb

*Actual product may differ from stock photo

Hose Barb x Female Thread



Part #	D1 (Hose ID)	T1 (Female)
126NP-1U10-SB	1/16"	10-32 UNF
126NP-1A-SB	1/16"	1/8" NPT
126NP-1B-SB	1/16"	1/4" NPT
126NP-2U10-SB	1/8"	10-32 UNF
126NP-2A-SB	1/8"	1/8" NPT
126-2A	1/8"	1/8" NPT
126NP-2B-SB	1/8"	1/4" NPT
126-2B	1/8"	1/4" NPT
126NP-017U10-SB	0.17"	10-32 UNF
126-3A	3/16"	1/8" NPT
126-3B	3/16"	1/4" NPT
126-4A	1/4"	1/8" NPT
126-4B	1/4"	1/4" NPT
126-4C	1/4"	3/8" NPT
126-4D	1/4"	1/2" NPT
126-5A	5/16"	1/8" NPT
126-5B	5/16"	1/4" NPT
126-5C	5/16"	3/8" NPT
126-6A	3/8"	1/8" NPT
126-6B	3/8"	1/4" NPT
126-6C	3/8"	3/8" NPT
126-6D	3/8"	1/2" NPT
126-6E	3/8"	3/4" NPT
126-8B	1/2"	1/4" NPT
126-8C	1/2"	3/8" NPT
126-8D	1/2"	1/2" NPT
126-8E	1/2"	3/4" NPT
126-10C	5/8"	3/8" NPT
126-10D	5/8"	1/2" NPT
126-10E	5/8"	3/4" NPT
126-12D	3/4"	1/2" NPT
126-12E	3/4"	3/4" NPT
126-16E	1"	3/4" NPT
126-16H	1"	1" NPT
126-20H	1-1/4"	1" NPT

Hose Barb x Male Thread SWIVEL



Part #	D1 (Hose ID)	T1 (Male)
1925-4A	1/4"	1/8" NPT
1925-4B	1/4"	1/4" NPT
1925-6B	3/8"	1/4" NPT
1925-6C	3/8"	3/8" NPT
1925-8C	1/2"	3/8" NPT
1925-8D	1/2"	1/2" NPT
1925-12E	3/4"	3/4" NPT
1925-16H	1"	1" NPT

Hose Barb x Female Thread SWIVEL



Part #	D1 (Hose ID)	T1 (Female)
1926-4B	1/4"	1/4" NPT
1926-6B	3/8"	1/4" NPT
1926-6C	3/8"	3/8" NPT
1926-8C	1/2"	3/8" NPT
1926-8D	1/2"	1/2" NPT

*NP Nickel Plated *SB Single Barb *DB Double Barb

*Actual product may differ from stock photo

90° Hose Barb x Male Thread




Part #	D1 (Hose ID)	T1 (Male)
139NP-1A-SB	1/16"	1/8" NPT
139NP-1U10-SB	1/16"	10-32 UNF
139-1A-SB	1/16"	1/8" NPT
139NP-1B-SB	1/16"	1/4" NPT
139NP-1M3-SB	1/16"	M3 x 0.5
139NP-1M5-SB	1/16"	M5 x 0.8
139NP-1M6-SB	1/16"	M6 x 1.0
139NP-2U10-SB	1/8"	10-32 UNF
139NP-21-SB	1/8"	1/16" NPT
139NP-2A-SB	1/8"	1/8" NPT
139NP-2B-SB	1/8"	1/4" NPT
139NP-2M3-SB	1/8"	M3 x 0.5
139NP-2M5-SB	1/8"	M5 x 0.8
139NP-2M6-SB	1/8"	M6 x 1.0
139NP-017U10-SB	0.17"	10-32 UNF
139-017A-DB	0.17"	1/8" NPT
139NP-31-SB	3/16"	1/16" NPT
139-3A	3/16"	1/8" NPT
139NP-3A-SB	3/16"	1/8" NPT
139NP-3B-SB	3/16"	1/4" NPT
139NP-3M6-SB	3/16"	M6 x 1.0
139NP-41-SB	1/4"	1/16" NPT

Part #	D1 (Hose ID)	T1 (Male)
139-4A	1/4"	1/8" NPT
139-4B	1/4"	1/4" NPT
139-4C	1/4"	3/8" NPT
139-5A	5/16"	1/8" NPT
139-5B	5/16"	1/4" NPT
139-5C	5/16"	3/8" NPT
139-6A	3/8"	1/8" NPT
139-6B	3/8"	1/4" NPT
139-6C	3/8"	3/8" NPT
139-6D	3/8"	1/2" NPT
139-8B	1/2"	1/4" NPT
139-8C	1/2"	3/8" NPT
139-8D	1/2"	1/2" NPT
139-10C	5/8"	3/8" NPT
139-10D	5/8"	1/2" NPT
139-12D	3/4"	1/2" NPT
139-12E	3/4"	3/4" NPT
139-16E	1"	3/4" NPT
139-16H	1"	1" NPT

*NP Nickel Plated *SB Single Barb *DB Double Barb

*Actual product may differ from stock photo

90° Hose Barb x Female Thread



45° Hose Barb x Male Thread



Part #	D1 (Hose ID)	T1 (Female)
139F-NP-2A-SB	1/8"	1/8" NPT
139F-NP-3B-SB	3/16"	1/4" NPT
139F-NP-1U10-SB	1/16"	10-32 UNF
139F-NP-1A-SB	1/16"	1/8" NPT
139F-1A-SB	1/16"	1/8" NPT
139F-NP-1B-SB	1/16"	1/4" NPT
139F-NP-2B-SB	1/8"	1/4" NPT
139F-NP-3A-SB	3/16"	1/8" NPT
139F-4A	1/4"	1/8" NPT
139F-4B	1/4"	1/4" NPT
139F-6B	3/8"	1/4" NPT
139F-6C	3/8"	3/8" NPT
139F-8B	1/2"	1/4" NPT
139F-8C	1/2"	3/8" NPT
139F-8D	1/2"	1/2" NPT
139F-12E	3/4"	3/4" NPT

Part #	D1 (Hose ID)	T1 (Male)
140-4A	1/4"	1/8" NPT
140-4B	1/4"	1/4" NPT
140-5A	5/16"	1/8" NPT
140-5B	5/16"	1/4" NPT
140-6A	3/8"	1/8" NPT
140-6B	3/8"	1/4" NPT
140-6C	3/8"	3/8" NPT
140-8B	1/2"	1/4" NPT
140-8C	1/2"	3/8" NPT
140-8D	1/2"	1/2" NPT
140-10C	5/8"	3/8" NPT
140-12D	3/4"	1/2" NPT

*NP Nickel Plated *SB Single Barb *DB Double Barb

*Actual product may differ from stock photo

Hose Barb Tee




Part #	D1 (Hose ID)	D2 (Hose ID)
123NP-1-SB	1/16"	1/16"
123NP-21-SB	1/8"	1/16"
123NP-2-SB	1/8"	1/8"
123-2	1/8"	1/8"
123NP-32-SB	3/16"	1/8"
123NP-3-SB	3/16"	3/16"
123-3	3/16"	3/16"
123-42	1/4"	1/8"
123-4	1/4"	1/4"
123-5	5/16"	5/16"
123-6	3/8"	3/8"
123-86	1/2"	3/8"
123-8	1/2"	1/2"
123-10	5/8"	5/8"
123-1208	3/4"	1/2"
123-12	3/4"	3/4"

Hose Mender/Splicer/Joiner



Part #	D1 (Hose ID)	D2 (Hose ID)
129NP-1-SB	1/16"	1/16"
129NP-2-1-SB	1/8"	1/16"
129NP-2-SB	1/8"	1/8"
129-2	1/8"	1/8"
129-3-2	3/16"	1/8"
129NP-3-SB	3/16"	3/16"
129NP-3-2-SB	3/16"	1/8"
129-3	3/16"	3/16"
129-4-2	1/4"	1/8"
129-4-3	1/4"	3/16"
129-4	1/4"	1/4"
129-5-3	5/16"	3/16"
129-5-4	5/16"	1/4"
129-5	5/16"	5/16"
129-6-4	3/8"	1/4"
129-6-5	3/8"	5/16"
129-6	3/8"	3/8"
129-8-6	1/2"	3/8"
129-8	1/2"	1/2"
129-10-6	5/8"	3/8"
129-10-8	5/8"	1/2"
129-10	5/8"	5/8"
129-12-8	3/4"	1/2"
129-12-10	3/4"	5/8"
129-12	3/4"	3/4"
129-16-12	1"	3/4"
129-16	1"	1"

Hose Barb Male Thread Tee



Part #	D1 (Hose ID)	T1 (Male)
123NP-TB-4B-SB	1/4"	1/4" NPT
123-TB-4B-SB	1/4"	1/4" NPT
123-TB-6B	3/8"	1/4" NPT
123NP-TB-6B-SB	3/8"	1/4" NPT
123-TB-6B-SB	3/8"	1/4" NPT

*NP Nickel Plated *SB Single Barb *DB Double Barb


*Actual product may differ from stock photo

90° Elbow Hose Barb Union




Part #	D1 (Hose ID)	D2 (Hose ID)
99HB-NP-1-SB	1/16"	1/16"
99HB-NP-2-SB	1/8"	1/8"
99HB-2	1/8"	1/8"
99HB-3	3/16"	3/16"
99HB-4-2	1/4"	1/8"
99HB-4	1/4"	1/4"
99HB-5	5/16"	5/16"
99HB-6-4	3/8"	1/4"
99HB-6	3/8"	3/8"
99HB-8-6	1/2"	3/8"
99HB-8	1/2"	1/2"
99HB-10	5/8"	5/8"
99HB-12	3/4"	3/4"

Hose Barb Cross



Part #	D1 (Hose ID)
102HB-NP-1-SB	1/16"
102HB-NP-2-SB	1/8"
102HB-NP-3-SB	3/16"
102HB-NP-4-SB	1/4"
102HB-NP-6-SB	3/8"
102HB-4	1/4"

Brass Y Barb




Part #	D1 (Hose ID)
127-3	3/16"
127-4	1/4"
127-5	5/16"
127-6	3/8"
127-8	1/2"

*NP Nickel Plated *SB Single Barb *DB Double Barb

*Actual product may differ from stock photo

90° Male Elbow



Part #	T1 (Male)	T2 (Male)
99-A	1/8" NPT	1/8" NPT
99-B	1/4" NPT	1/4" NPT
99-C	3/8" NPT	3/8" NPT
99-D	1/2" NPT	1/2" NPT
99-BA	1/4" NPT	1/8" NPT
99-CA	3/8" NPT	1/8" NPT
99-CB	3/8" NPT	1/4" NPT
99-DC	1/2" NPT	3/8" NPT

Male Threaded Tee



Part #	T1 (Male)	T2 (Male)
101M-A	1/8" NPT	1/8" NPT
101M-B	1/4" NPT	1/4" NPT
101M-C	3/8" NPT	3/8" NPT
101M-D	1/2" NPT	1/2" NPT

90° Female Elbow



Part #	T1 (Female)	T2 (Female)
100-A	1/8" NPT	1/8" NPT
100-BA	1/4" NPT	1/8" NPT
100-B	1/4" NPT	1/4" NPT
100-CB	3/8" NPT	1/4" NPT
100-C	3/8" NPT	3/8" NPT
100-DC	1/2" NPT	3/8" NPT
100-D	1/2" NPT	1/2" NPT
100-ED	3/4" NPT	1/2" NPT
100-E	3/4" NPT	3/4" NPT
100-H	1" NPT	1" NPT
100-J	1-1/4" NPT	1-1/4" NPT
100-K	1-1/2" NPT	1-1/2" NPT
100-M	2" NPT	2" NPT

Female Cross



Part #	T1 (Female)
102-U10	10-32 UNF
102-A	1/8" NPT
102-B	1/4" NPT
102-C	3/8" NPT
102-D	1/2" NPT
102-E	3/4" NPT

*Actual product may differ from stock photo

Female Tee




Part #	T1 (Female)	T2 (Female)
101-U10	10-32 UNF	10-32 UNF
101-A	1/8" NPT	1/8" NPT
101-B	1/4" NPT	1/4" NPT
101-C	3/8" NPT	3/8" NPT
101-D	1/2" NPT	1/2" NPT
101-E	3/4" NPT	3/4" NPT
101-H	1" NPT	1" NPT

Female Coupling



Part #	T1 (Female)
103-U10	10-32 UNF
103-A	1/8" NPT
103-B	1/4" NPT
103-C	3/8" NPT
103-D	1/2" NPT
103-E	3/4" NPT
103-H	1" NPT

3 Piece Union Coupling



Part #	T1 (Female)	T2 (Female)
104-A	1/8" NPT	1/8" NPT
104-B	1/4" NPT	1/4" NPT
104-C	3/8" NPT	3/8" NPT
104-D	1/2" NPT	1/2" NPT
104-E	3/4" NPT	3/4" NPT
104-H	1" NPT	1" NPT

Street Tee



Part #	T1 (Female)	T2 (Male)
107-A	1/8" NPT	1/8" NPT
107-B	1/4" NPT	1/4" NPT
107-C	3/8" NPT	3/8" NPT
107-D	1/2" NPT	1/2" NPT
107-E	3/4" NPT	3/4" NPT

45° Female Elbow



Part #	T1 (Female)	T2 (Female)
105-A	1/8" NPT	1/8" NPT
105-B	1/4" NPT	1/4" NPT
105-C	3/8" NPT	3/8" NPT
105-D	1/2" NPT	1/2" NPT
105-E	3/4" NPT	3/4" NPT

Pipe Cap



Part #	T1 (Female)
108-A	1/8" NPT
108-B	1/4" NPT
108-C	3/8" NPT
108-D	1/2" NPT
108-E	3/4" NPT
108-H	1" NPT
108-J	1-1/4" NPT
108-K	1-1/2" NPT

*Actual product may differ from stock photo

Male Branch Tee



Part #	T1 (Female)	T2 (Male)
106-U10	10-32 UNF	10-32 UNF
106-A	1/8" NPT	1/8" NPT
106-B	1/4" NPT	1/4" NPT
106-C	3/8" NPT	3/8" NPT
106-D	1/2" NPT	1/2" NPT
106-E	3/4" NPT	3/4" NPT

Square Head Plug




Part #	T1 (Female)
109-A	1/8" NPT
109-B	1/4" NPT
109-C	3/8" NPT
109-D	1/2" NPT
109-E	3/4" NPT
109-H	1" NPT
109-J	1-1/4" NPT
109-K	1-1/2" NPT

Bushing



Part #	T1 (Male)	T2 (Female)
110-1U10	1/16" NPT	10-32 UNF
110-AU10	1/8" NPT	10-32 UNF
110-BU10	1/4" NPT	10-32 UNF
110NP-A1	1/8" NPT	1/16" NPT
110-BA	1/4" NPT	1/8" NPT
110-CA	3/8" NPT	1/8" NPT
110-CB	3/8" NPT	1/4" NPT
110-DA	1/2" NPT	1/8" NPT
110-DB	1/2" NPT	1/4" NPT
110-DC	1/2" NPT	3/8" NPT
110-EA	3/4" NPT	1/8" NPT
110-EB	3/4" NPT	1/4" NPT
110-EC	3/4" NPT	3/8" NPT
110-ED	3/4" NPT	1/2" NPT
110-HB	1" NPT	1/4" NPT
110-HC	1" NPT	3/8" NPT
110-HD	1" NPT	1/2" NPT
110-HE	1" NPT	3/4" NPT

Slipnut



Part #	T1 (Female)
111-A	1/8" NPSL
111-B	1/4" NPSL
111-C	3/8" NPSL
111-D	1/2" NPSL

Close Nipple



Part #	T1 (Male)	T2 (Male)
112-A	1/8" NPT	1/8" NPT
112-B	1/4" NPT	1/4" NPT
112-C	3/8" NPT	3/8" NPT
112-D	1/2" NPT	1/2" NPT
112-E	3/4" NPT	3/4" NPT
112-H	1" NPT	1" NPT
112-J	1-1/4" NPT	1-1/4" NPT
112-K	1-1/2" NPT	1-1/2" NPT
112-M	2" NPT	2" NPT


*Actual product may differ from stock photo

Long Nipple




Part #	T1 (Male)	Length
113-A1-1/2	1/8" NPT	1-1/2"
113-A2	1/8" NPT	2"
113-A2-1/2	1/8" NPT	2-1/2"
113-A3	1/8" NPT	3"
113-A3-1/2	1/8" NPT	3-1/2"
113-A4	1/8" NPT	4"
113-A4-1/2	1/8" NPT	4-1/2"
113-A5	1/8" NPT	5"
113-A5-1/2	1/8" NPT	5-1/2"
113-A6	1/8" NPT	6"
113-B1-1/2	1/4" NPT	1-1/2"
113-B2	1/4" NPT	2"
113-B2-1/2	1/4" NPT	2-1/2"
113-B3	1/4" NPT	3"
113-B3-1/2	1/4" NPT	3-1/2"
113-B4	1/4" NPT	4"
113-B4-1/2	1/4" NPT	4-1/2"
113-B5	1/4" NPT	5"
113-B5-1/2	1/4" NPT	5-1/2"
113-B6	1/4" NPT	6"
113-C1-1/2	3/8" NPT	1-1/2"
113-C2	3/8" NPT	2"
113-C2-1/2	3/8" NPT	2-1/2"
113-C3	3/8" NPT	3"
113-C3-1/2	3/8" NPT	3-1/2"
113-C4	3/8" NPT	4"
113-C4-1/2	3/8" NPT	4-1/2"

90° Street Elbow



Part #	T1 (Female)	T2 (Male)
115NP-U10	10-32 UNF	10-32 UNF
115-A	1/8" NPT	1/8" NPT
115-BA	1/4" NPT	1/8" NPT
115-B	1/4" NPT	1/4" NPT
115-CB	3/8" NPT	1/4" NPT
115-C	3/8" NPT	3/8" NPT
115-DC	1/2" NPT	3/8" NPT
115-D	1/2" NPT	1/2" NPT
115-ED	3/4" NPT	1/2" NPT
115-E	3/4" NPT	3/4" NPT

90° Street Elbow (Forged)



Part #	T1 (Female)	T2 (Male)
116-B	1/4" NPT	1/4" NPT
116-C	3/8" NPT	3/8" NPT
116-D	1/2" NPT	1/2" NPT

*NP Nickel Plated

*SB Single Barb

*DB Double Barb

*Actual product may differ from stock photo

Slotted Pipe Plug



T1

Part #	T1 (Male)
117-A	1/8" NPT
117-B	1/4" NPT
117-C	3/8" NPT

Countersink Pipe Plug



T1

Part #	T1 (Male)
118-1	1/16" NPT
118-A	1/8" NPT
118-B	1/4" NPT
118-C	3/8" NPT
118-D	1/2" NPT
118-E	3/4" NPT

Pipe Adaptor



T1

T2

Part #	T1 (Female)	T2 (Male)
120NP-M6M3	M6 x 1.0	M3 x 0.5
120NP-U10M3	10-32 UNF	M3 x 0.5
120NP-U10M5	10-32 UNF	M5 x 0.8
120NP-AM5	1/8" NPT	M5 x 0.8
120NP-M6M6	M6 x 1.0	M6 x 1.0
120NP-AM6	1/8" NPT	M6 x 1.0
120NP-AM7	1/8" NPT	M7 x 1.0
120NP-AM8	1/8" NPT	M8 x 1.25
120NP-U10U10	10-32 UNF	10-32 UNF
120NP-AU10	1/8" NPT	10-32 UNF
120-AU10	1/8" NPT	10-32 UNF
120-A1	1/8" NPT	1/16" NPT
120-AA	1/8" NPT	1/8" NPT
120-BA	1/4" NPT	1/8" NPT
120-BB	1/4" NPT	1/4" NPT
120-CA	3/8" NPT	1/8" NPT
120-CB	3/8" NPT	1/4" NPT
120-CC	3/8" NPT	3/8" NPT
120-DB	1/2" NPT	1/4" NPT
120-DC	1/2" NPT	3/8" NPT
120-DD	1/2" NPT	1/2" NPT
120-EC	3/4" NPT	3/8" NPT
120-ED	3/4" NPT	1/2" NPT
120-EE	3/4" NPT	3/4" NPT

*NP Nickel Plated

*SB Single Barb

*DB Double Barb

Reducing Pipe Coupling



T1

T2

Part #	T1 (Female)	T2 (Female)
119-AU10	1/8" NPT	10-32 UNF
119-BA	1/4" NPT	1/8" NPT
119-CA	3/8" NPT	1/8" NPT
119-CB	3/8" NPT	1/4" NPT
119-DA	1/2" NPT	1/8" NPT
119-DB	1/2" NPT	1/4" NPT
119-DC	1/2" NPT	3/8" NPT
119-EB	3/4" NPT	1/4" NPT
119-EC	3/4" NPT	3/8" NPT
119-ED	3/4" NPT	1/2" NPT

45° Street Elbow



T1

T2

Part #	T1 (Female)	T2 (Male)
124-A	1/8" NPT	1/8" NPT
124-B	1/4" NPT	1/4" NPT
124-C	3/8" NPT	3/8" NPT
124-D	1/2" NPT	1/2" NPT
124-E	3/4" NPT	3/4" NPT

*Actual product may differ from stock photo

Hex Pipe Nipple



Hex Head Pipe Plug



Part #	T1 (Male)	T2 (Male)
122-U10	10-32 UNF	10-32 UNF
122-A	1/8" NPT	1/8" NPT
122-B	1/4" NPT	1/4" NPT
122-BA	1/4" NPT	1/8" NPT
122-C	3/8" NPT	3/8" NPT
122-CA	3/8" NPT	1/8" NPT
122-CB	3/8" NPT	1/4" NPT
122-D	1/2" NPT	1/2" NPT
122-DB	1/2" NPT	1/4" NPT
122-DC	1/2" NPT	3/8" NPT
122-E	3/4" NPT	3/4" NPT
122-ED	3/4" NPT	1/2" NPT
122-H	1" NPT	1" NPT

Part #	T1 (Male)
121-U10	10-32 UNF
121NP-M3	M3 x 0.5
121NP-M5	M5 x 0.8
121NP-M6	M6 x 1.0
121NP-1	1/16" NPT
121-1	1/16" NPT
121-A	1/8" NPT
121-B	1/4" NPT
121-C	3/8" NPT
121-D	1/2" NPT
121-E	3/4" NPT
121-H	1" NPT

Bulkhead Fittings



Part #	T1 (Female)	T2 (Male)	Length
1495-AA	1/8" NPT	1/8" NPT	1.5"
1495-CC	3/8" NPT	3/8" NPT	1.25
1495-DD	1/2" NPT	1/2" NPT	1.5"
1495L-BB	1/4" NPT	1/4" NPT	1.5"
1495S-BB	1/4" NPT	1/4" NPT	31/32"

*NP Nickel Plated

*SB Single Barb

*DB Double Barb

*Actual product may differ from stock photo

Ball Valve Female x Female



Part #	T1 (Female)	T2 (Female)
FBVG25	1/4" NPT	1/4" NPT
FBVG38	3/8" NPT	3/8" NPT
FBVG50	1/2" NPT	1/2" NPT
FBVG75	3/4" NPT	3/4" NPT
FBVG100	1" NPT	1" NPT

Mini Ball Valve Female x Female



Part #	T1 (Female)	T2 (Female)
BVFF-N03	3/8" NPT	3/8" NPT

Teflon Tape



Part #	Size
121-M8	12mm x 12m

Mini Ball Valve Male x Female



Part #	T1 (Male)	T2 (Female)
BVMF-N02	1/4" NPT	1/4" NPT
BVMF-N03	3/8" NPT	3/8" NPT

*Actual product may differ from stock photo

Stainless Steel Fittings

Internal Hex Pipe Plug

Part #	T1 (Male)
118SS-U10	10-32 UNF

Hose Barb x Male Thread

Part #	D1 (Hose ID)	T1 (Male)
125SS-2A	1/8"	1/8" NPT
125SS-3A	3/16"	1/8" NPT
125SS-4A	1/4"	1/8" NPT
125SS-6B	3/8"	1/4" NPT

Pipe Adaptor

Part #	T1 (Female)	T2 (Male)
120SS-AM5	1/8" NPT	M5 x 0.8
120SS-AM6	1/8" NPT	M6 x 1.0

Hose Mender/Splicer/Joiner

Part #	D1 (Hose ID)	D2 (Hose ID)
129SS-6	3/8"	3/8"
129SS-8	1/2"	1/2"

Hex Pipe Nipple

Part #	T1 (Male)	T2 (Male)
122SS-B	1/4" NPT	1/4" NPT
122SS-C	3/8" NPT	3/8" NPT

*Actual product may differ from stock photo