Features/Specifications:

Pilot type: Direct & Solenoid
Mount: Inline or Manifold
Wiring: DIN Connector with LED
Insulation: F Class

Water/Dust Protection: 165

 Water/Dust Protection:
 165

 Override:
 Manual, Locking (3V, 4V Series)

 Pressure:
 22 - 116 PSI (1.5 - 8 Bar)

 Temperature:
 -5 to +50°C (41 - 122°F)

 Voltage Tolerance
 ±10% of Rated Voltage

 Highest Action Frequency:
 6 cycles/sec






Model	Description	Connection	Voltage	Flow (Cv)
2V025-06-DC12	2 Way Valve 1/8" NPT	DIN Connector	DC 12V	0.23
2V025-06-DC24	2 Way Valve 1/8" NPT	DIN Connector	DC 24V	0.23
2V025-06-AC24	2 Way Valve 1/8" NPT	DIN Connector	AC 24V	0.23
2V025-06-AC110	2 Way Valve 1/8" NPT	DIN Connector	AC 110V	0.23
2V025-06-AC220	2 Way Valve 1/8" NPT	DIN Connector	AC 220V	0.23
2V025-06-DC12W	2 Way Valve 1/8" NPT	Wire Leads	DC 12V	0.23
2V025-06-DC24W	2 Way Valve 1/8" NPT	Wire Leads	DC 24V	0.23
2V025-06-AC24W	2 Way Valve 1/8" NPT	Wire Leads	AC 24V	0.23
2V025-06-AC110W	2 Way Valve 1/8" NPT	Wire Leads	AC 110V	0.23
2V025-06-AC220W	2 Way Valve 1/8" NPT	Wire Leads	AC 220V	0.23
2V025-08-DC12	2 Way Valve 1/4" NPT	DIN Connector	DC 12V	0.23
2V025-08-DC24	2 Way Valve 1/4" NPT	DIN Connector	DC 24V	0.23
2V025-08-AC24	2 Way Valve 1/4" NPT	DIN Connector	AC 24V	0.23
2V025-08-AC110	2 Way Valve 1/4" NPT	DIN Connector	AC 110V	0.23
2V025-08-AC220	2 Way Valve 1/4" NPT	DIN Connector	AC 220V	0.23
2V025-08-DC12W	2 Way Valve 1/4" NPT	Wire Leads	DC 12V	0.23
2V025-08-DC24W	2 Way Valve 1/4" NPT	Wire Leads	DC 24V	0.23
2V025-08-AC24W	2 Way Valve 1/4" NPT	Wire Leads	AC 24V	0.23
2V025-08-AC110W	2 Way Valve 1/4" NPT	Wire Leads	AC 110V	0.23
2V025-08-AC220W	2 Way Valve 1/4" NPT	Wire Leads	AC 220V	0.23



Model	Description	ion Connection		Flow (Cv)
3V1-06-DC12	3 Way Direct Acting Valve 1/8" NPT	DIN Connector	DC 12V	0.07
3V1-06-DC24	3 Way Direct Acting Valve 1/8" NPT	DIN Connector	DC 24V	0.07
3V1-06-AC24	3 Way Direct Acting Valve 1/8" NPT	DIN Connector	AC 24V	0.07
3V1-06-AC110	3 Way Direct Acting Valve 1/8" NPT	DIN Connector	AC 110V	0.07
3V1-06-AC220	3 Way Direct Acting Valve 1/8" NPT	DIN Connector	AC 220V	0.07
3V1-06-DC12W	3 Way Direct Acting Valve 1/8" NPT	Wire Leads	DC 12V	0.07
3V1-06-DC24W	3 Way Direct Acting Valve 1/8" NPT	Wire Leads	DC 24V	0.07
3V1-06-AC24W	3 Way Direct Acting Valve 1/8" NPT	Wire Leads	AC 24V	0.07
3V1-06-AC110W	3 Way Direct Acting Valve 1/8" NPT	Wire Leads	AC 110V	0.07
3V1-06-AC220W	3 Way Direct Acting Valve 1/8" NPT	Wire Leads	AC 220V	0.07







 Sales Inquiries:

 Tel:
 1-905-532-0090

 Fax:
 1-905-532-1498

 E-mail:
 sales@mettlertools.com

Description

Features/Specifications:
Pilot type:
Mount:
Wiring:
Insulation:
Water/Dust Protection:
Override:
Pressure:
Temperature:
Voltage Tolerance
Highest Action Frequency: Direct & Solenoid
Inline or Manifold
DIN Connector with LED
F Class
165
Manual, Locking (3V, 4V Series)
22 - 116 PSI (1.5 - 8 Bar)
-5 to +50°C (41 - 122°F)
±10% of Rated Voltage
6 cycles/sec

Model



Flow (Cv)

Voltage











3V210-08-DC12	3 Way 2 Position NORMALLY CLOSED Valve 1/4" NPT	DIN Connector	Single Solenoid	DC 12V	0.89
3V210-08-DC24	3 Way 2 Position NORMALLY CLOSED Valve 1/4" NPT	DIN Connector	Single Solenoid	DC 24V	0.89
3V210-08-AC24	3 Way 2 Position NORMALLY CLOSED Valve 1/4" NPT	DIN Connector	Single Solenoid	AC 24V	0.89
3V210-08-AC110	3 Way 2 Position NORMALLY CLOSED Valve 1/4" NPT	DIN Connector	Single Solenoid	AC 110V	0.89
3V210-08-AC220	3 Way 2 Position NORMALLY CLOSED Valve 1/4" NPT	DIN Connector	Single Solenoid	AC 220V	0.89
3V210-08NO-DC12	3 Way 2 Position NORMALLY OPEN Valve 1/4" NPT	DIN Connector	Single Solenoid	DC 12V	0.89
3V210-08NO-DC24	3 Way 2 Position NORMALLY OPEN Valve 1/4" NPT	DIN Connector	Single Solenoid	DC 24V	0.89
3V210-08NO-AC24	3 Way 2 Position NORMALLY OPEN Valve 1/4" NPT	DIN Connector	Single Solenoid	AC 24V	0.89
3V210-08NO-AC110	3 Way 2 Position NORMALLY OPEN Valve 1/4" NPT	DIN Connector	Single Solenoid	AC 110V	0.89
3V210-08NO-AC220	3 Way 2 Position NORMALLY OPEN Valve 1/4" NPT	DIN Connector	Single Solenoid	AC 220V	0.89
3V210-08-DC12W	3 Way 2 Position NORMALLY CLOSED Valve 1/4" NPT	Wire Leads	Single Solenoid	DC 12V	0.89
3V210-08-DC24W	3 Way 2 Position NORMALLY CLOSED Valve 1/4" NPT	Wire Leads	Single Solenoid	DC 24V	0.89
3V210-08-AC24W	3 Way 2 Position NORMALLY CLOSED Valve 1/4" NPT	Wire Leads	Single Solenoid	AC 24V	0.89
3V210-08-AC110W	3 Way 2 Position NORMALLY CLOSED Valve 1/4" NPT	Wire Leads	Single Solenoid	AC 110V	0.89
3V210-08-AC220W	3 Way 2 Position NORMALLY CLOSED Valve 1/4" NPT	Wire Leads	Single Solenoid	AC 220V	0.89
3V210-08NO-DC12W	3 Way 2 Position NORMALLY OPEN Valve 1/4" NPT	Wire Leads	Single Solenoid	DC 12V	0.89
3V210-08NO-DC24W	3 Way 2 Position NORMALLY OPEN Valve 1/4" NPT	Wire Leads	Single Solenoid	DC 24V	0.89
3V210-08NO-AC24W	3 Way 2 Position NORMALLY OPEN Valve 1/4" NPT	Wire Leads	Single Solenoid	AC 24V	0.89
3V210-08NO-AC110W	3 Way 2 Position NORMALLY OPEN Valve 1/4" NPT	Wire Leads	Single Solenoid	AC 110V	0.89
3V210-08NO-AC220W	3 Way 2 Position NORMALLY OPEN Valve 1/4" NPT	Wire Leads	Single Solenoid	AC 220V	0.89
3V220-08-DC12	3 Way 2 Position NORMALLY CLOSED Valve 1/4" NPT	DIN Connector	Double Solenoid	DC 12V	0.89
3V220-08-DC24	3 Way 2 Position NORMALLY CLOSED Valve 1/4" NPT	DIN Connector	Double Solenoid	DC 24V	0.89
3V220-08-AC24	3 Way 2 Position NORMALLY CLOSED Valve 1/4" NPT	DIN Connector	Double Solenoid	AC 24V	0.89
3V220-08-AC120	3 Way 2 Position NORMALLY CLOSED Valve 1/4" NPT	DIN Connector	Double Solenoid	AC 110V	0.89
3V220-08-AC220	3 Way 2 Position NORMALLY CLOSED Valve 1/4" NPT	DIN Connector	Double Solenoid	AC 220V	0.89
3V220-08-DC12W	3 Way 2 Position NORMALLY CLOSED Valve 1/4" NPT	Wire Leads	Double Solenoid	DC 12V	0.89
3V220-08-DC24W	3 Way 2 Position NORMALLY CLOSED Valve 1/4" NPT	Wire Leads	Double Solenoid	DC 24V	0.89
3V220-08-AC24W	3 Way 2 Position NORMALLY CLOSED Valve 1/4" NPT	Wire Leads	Double Solenoid	AC 24V	0.89
3V220-08-AC120W	3 Way 2 Position NORMALLY CLOSED Valve 1/4" NPT	Wire Leads	Double Solenoid	AC 110V	0.89
3V220-08-AC220W	3 Way 2 Position NORMALLY CLOSED Valve 1/4" NPT	Wire Leads	Double Solenoid	AC 220V	0.89
3V310-10-DC12	3 Way 2 Position NORMALLY CLOSED Valve 3/8" NPT	DIN Connector	Single Solenoid	DC 12V	1.68
3V310-10-DC24	3 Way 2 Position NORMALLY CLOSED Valve 3/8" NPT	DIN Connector	Single Solenoid	DC 24V	1.68
3V310-10-AC24	3 Way 2 Position NORMALLY CLOSED Valve 3/8" NPT	DIN Connector	Single Solenoid	AC 24V	1.68
3V310-10-AC110	3 Way 2 Position NORMALLY CLOSED Valve 3/8" NPT	DIN Connector	Single Solenoid	AC 110V	1.68
3V310-10-AC220	3 Way 2 Position NORMALLY CLOSED Valve 3/8" NPT	DIN Connector	Single Solenoid	AC 220V	1.68
3V310-10NO-DC12	3 Way 2 Position NORMALLY OPEN Valve 3/8" NPT	DIN Connector	Single Solenoid	DC 12V	1.68
3V310-10NO-DC24	3 Way 2 Position NORMALLY OPEN Valve 3/8" NPT	DIN Connector	Single Solenoid	DC 24V	1.68
3V310-10NO-AC24	3 Way 2 Position NORMALLY OPEN Valve 3/8" NPT	DIN Connector	Single Solenoid	AC 24V	1.68
3V310-10NO-AC110	3 Way 2 Position NORMALLY OPEN Valve 3/8" NPT	DIN Connector	Single Solenoid	AC 110V	1.68
3V310-10NO-AC220	3 Way 2 Position NORMALLY OPEN Valve 3/8" NPT	DIN Connector	Single Solenoid	AC 220V	1.68
3V310-10-DC12W	3 Way 2 Position NORMALLY CLOSED Valve 3/8" NPT	Wire Leads	Single Solenoid	DC 12V	1.68
3V310-10-DC24W	3 Way 2 Position NORMALLY CLOSED Valve 3/8" NPT	Wire Leads	Single Solenoid	DC 24V	1.68
3V310-10-AC24W	3 Way 2 Position NORMALLY CLOSED Valve 3/8" NPT	Wire Leads	Single Solenoid	AC 24V	1.68
3V310-10-AC110W	3 Way 2 Position NORMALLY CLOSED Valve 3/8" NPT	Wire Leads	Single Solenoid	AC 110V	1.68
3V310-10-AC220W	3 Way 2 Position NORMALLY CLOSED Valve 3/8" NPT	Wire Leads	Single Solenoid	AC 220V	1.68
3V310-10NO-DC12W	3 Way 2 Position NORMALLY OPEN Valve 3/8" NPT	Wire Leads	Single Solenoid	DC 12V	1.68
3V310-10NO-DC24W	3 Way 2 Position NORMALLY OPEN Valve 3/8" NPT	Wire Leads	Single Solenoid	DC 24V	1.68
3V310-10NO-AC24W	3 Way 2 Position NORMALLY OPEN Valve 3/8" NPT	Wire Leads	Single Solenoid	AC 24V	1.68
	3 Way 2 Position NORMALLY OPEN Valve 3/8" NPT	Wire Leads	Single Solenoid	AC 110V	1.68
	3 Way 2 Position NORMALLY OPEN Valve 3/8" NPT	Wire Leads	Single Solenoid	AC 220V	1.68
3V320-10-DC12	3 Way 2 Position NORMALLY CLOSED Valve 3/8" NPT	DIN Connector	Double Solenoid	DC 12V	1.68
3V320-10-DC24	3 Way 2 Position NORMALLY CLOSED Valve 3/8" NPT	DIN Connector	Double Solenoid	DC 24V	1.68
3V320-10-AC24	3 Way 2 Position NORMALLY CLOSED Valve 3/8" NPT	DIN Connector	Double Solenoid	AC 24V	1.68
3V320-10-AC120	3 Way 2 Position NORMALLY CLOSED Valve 3/8" NPT	DIN Connector	Double Solenoid	AC 110V	1.68
3V320-10-AC220	3 Way 2 Position NORMALLY CLOSED Valve 3/8" NPT	DIN Connector	Double Solenoid	AC 220V	1.68
3V320-10-DC12W	3 Way 2 Position NORMALLY CLOSED Valve 3/8" NPT	Wire Leads	Double Solenoid	DC 12V	1.68
3V320-10-DC24W	3 Way 2 Position NORMALLY CLOSED Valve 3/8" NPT	Wire Leads	Double Solenoid	DC 24V	1.68
3V320-10-AC24W	3 Way 2 Position NORMALLY CLOSED Valve 3/8" NPT	Wire Leads	Double Solenoid	AC 24V	1.68
3V320-10-AC120W	3 Way 2 Position NORMALLY CLOSED Valve 3/8" NPT	Wire Leads	Double Solenoid	AC 110V	1.68
3V320-10-AC220W	3 Way 2 Position NORMALLY CLOSED Valve 3/8" NPT	Wire Leads	Double Solenoid	AC 220V	1.68
3 V 3 Z U- 1 U-M C Z Z U V V	S Way 2 FUSIGITINORIVIALLT GLUSED VAIVE 3/0 INFT	vviie LeauS	Double Soleliold	AC 220V	1.08

Connection

Description

Features/Specifications:
Pilot type:
Mount:
Wiring:
Insulation:
Water/Dust Protection:
Override:
Pressure:
Temperature:
Voltage Tolerance
Highest Action Frequency: Direct & Solenoid
Inline or Manifold
DIN Connector with LED
F Class
165
Manual, Locking (3V, 4V Series)
22 - 116 PSI (1.5 - 8 Bar)
-5 to +50°C (41 - 122°F)
±10% of Rated Voltage
6 cycles/sec

Model



Flow (Cv)

Voltage



3V410-15-DC12	3 Way 2 Position NORMALLY CLOSED Valve 1/2" NPT	DIN Connector	Single Solenoid	DC 12V	2.79
3V410-15-DC24	3 Way 2 Position NORMALLY CLOSED Valve 1/2" NPT	DIN Connector	Single Solenoid	DC 24V	2.79
3V410-15-AC24	3 Way 2 Position NORMALLY CLOSED Valve 1/2" NPT	DIN Connector	Single Solenoid	AC 24V	2.79
3V410-15-AC110	3 Way 2 Position NORMALLY CLOSED Valve 1/2" NPT	DIN Connector	Single Solenoid	AC 110V	2.79
3V410-15-AC220	3 Way 2 Position NORMALLY CLOSED Valve 1/2" NPT	DIN Connector	Single Solenoid	AC 220V	2.79
3V410-15NO-DC12	3 Way 2 Position NORMALLY OPEN Valve 1/2" NPT	DIN Connector	Single Solenoid	DC 12V	2.79
3V410-15NO-DC24	3 Way 2 Position NORMALLY OPEN Valve 1/2" NPT	DIN Connector	Single Solenoid	DC 24V	2.79
3V410-15NO-AC24	3 Way 2 Position NORMALLY OPEN Valve 1/2" NPT	DIN Connector	Single Solenoid	AC 24V	2.79
3V410-15NO-AC110	3 Way 2 Position NORMALLY OPEN Valve 1/2" NPT	DIN Connector	Single Solenoid	AC 110V	2.79
3V410-15NO-AC220	3 Way 2 Position NORMALLY OPEN Valve 1/2" NPT	DIN Connector	Single Solenoid	AC 220V	2.79
3V410-15-DC12W	3 Way 2 Position NORMALLY CLOSED Valve 1/2" NPT	Wire Leads	Single Solenoid	DC 12V	2.79
3V410-15-DC24W	3 Way 2 Position NORMALLY CLOSED Valve 1/2" NPT	Wire Leads	Single Solenoid	DC 24V	2.79
3V410-15-AC24W	3 Way 2 Position NORMALLY CLOSED Valve 1/2" NPT	Wire Leads	Single Solenoid	AC 24V	2.79
3V410-15-AC110W	3 Way 2 Position NORMALLY CLOSED Valve 1/2" NPT	Wire Leads	Single Solenoid	AC 110V	2.79
3V410-15-AC220W	3 Way 2 Position NORMALLY CLOSED Valve 1/2" NPT	Wire Leads	Single Solenoid	AC 220V	2.79
3V410-15NO-DC12W	3 Way 2 Position NORMALLY OPEN Valve 1/2" NPT	Wire Leads	Single Solenoid	DC 12V	2.79
3V410-15NO-DC24W	3 Way 2 Position NORMALLY OPEN Valve 1/2" NPT	Wire Leads	Single Solenoid	DC 24V	2.79
3V410-15NO-AC24W	3 Way 2 Position NORMALLY OPEN Valve 1/2" NPT	Wire Leads	Single Solenoid	AC 24V	2.79
3V410-15NO-AC110W	3 Way 2 Position NORMALLY OPEN Valve 1/2" NPT	Wire Leads	Single Solenoid	AC 110V	2.79
3V410-15NO-AC220W	3 Way 2 Position NORMALLY OPEN Valve 1/2" NPT	Wire Leads	Single Solenoid	AC 220V	2.79
3V420-15-DC12	3 Way 2 Position NORMALLY CLOSED Valve 1/2" NPT	DIN Connector	Double Solenoid	DC 12V	2.79
3V420-15-DC24	3 Way 2 Position NORMALLY CLOSED Valve 1/2" NPT	DIN Connector	Double Solenoid	DC 24V	2.79
3V420-15-AC24	3 Way 2 Position NORMALLY CLOSED Valve 1/2" NPT	DIN Connector	Double Solenoid	AC 24V	2.79
3V420-15-AC120	3 Way 2 Position NORMALLY CLOSED Valve 1/2" NPT	DIN Connector	Double Solenoid	AC 110V	2.79
3V420-15-AC220	3 Way 2 Position NORMALLY CLOSED Valve 1/2" NPT	DIN Connector	Double Solenoid	AC 220V	2.79
3V420-15-DC12W	3 Way 2 Position NORMALLY CLOSED Valve 1/2" NPT	Wire Leads	Double Solenoid	DC 12V	2.79
3V420-15-DC24W	3 Way 2 Position NORMALLY CLOSED Valve 1/2" NPT	Wire Leads	Double Solenoid	DC 24V	2.79
3V420-15-AC24W	3 Way 2 Position NORMALLY CLOSED Valve 1/2" NPT	Wire Leads	Double Solenoid	AC 24V	2.79
3V420-15-AC120W	3 Way 2 Position NORMALLY CLOSED Valve 1/2" NPT	Wire Leads	Double Solenoid	AC 110V	2.79
2\/420-15-AC220\\\	2 Way 2 Position NORMALLY CLOSED Valvo 1/2" NRT	Wire Leade	Double Salanoid	VC 330//	2.70

Connection



Model	Description	Connection		Voltage	Flow (Cv)
4V110-06-DC12	5 Ports 4 Way 2 Position Valve 1/8" NPT	DIN Connector	Single Solenoid	DC 12V	0.67
4V110-06-DC24	5 Ports 4 Way 2 Position Valve 1/8" NPT	DIN Connector	Single Solenoid	DC 24V	0.67
4V110-06-AC24	5 Ports 4 Way 2 Position Valve 1/8" NPT	DIN Connector	Single Solenoid	AC 24V	0.67
4V110-06-AC110	5 Ports 4 Way 2 Position Valve 1/8" NPT	DIN Connector	Single Solenoid	AC 110V	0.67
4V110-06-AC220	5 Ports 4 Way 2 Position Valve 1/8" NPT	DIN Connector	Single Solenoid	AC 220V	0.67
4V110-06-DC12W	5 Ports 4 Way 2 Position Valve 1/8" NPT	Wire Leads	Single Solenoid	DC 12V	0.67
4V110-06-DC24W	5 Ports 4 Way 2 Position Valve 1/8" NPT	Wire Leads	Single Solenoid	DC 24V	0.67
4V110-06-AC24W	5 Ports 4 Way 2 Position Valve 1/8" NPT	Wire Leads	Single Solenoid	AC 24V	0.67
4V110-06-AC110W	5 Ports 4 Way 2 Position Valve 1/8" NPT	Wire Leads	Single Solenoid	AC 110V	0.67
4V110-06-AC220W	5 Ports 4 Way 2 Position Valve 1/8" NPT	Wire Leads	Single Solenoid	AC 220V	0.67
4V120-06-DC12	5 Ports 4 Way 2 Position Valve 1/8" NPT	DIN Connector	Double Solenoid	DC 12V	0.67
4V120-06-DC24	5 Ports 4 Way 2 Position Valve 1/8" NPT	DIN Connector	Double Solenoid	DC 24V	0.67
4V120-06-AC24	5 Ports 4 Way 2 Position Valve 1/8" NPT	DIN Connector	Double Solenoid	AC 24V	0.67
4V120-06-AC110	5 Ports 4 Way 2 Position Valve 1/8" NPT	DIN Connector	Double Solenoid	AC 110V	0.67
4V120-06-AC220	5 Ports 4 Way 2 Position Valve 1/8" NPT	DIN Connector	Double Solenoid	AC 220V	0.67
4V120-06-DC12W	5 Ports 4 Way 2 Position Valve 1/8" NPT	Wire Leads	Double Solenoid	DC 12V	0.67
4V120-06-DC24W	5 Ports 4 Way 2 Position Valve 1/8" NPT	Wire Leads	Double Solenoid	DC 24V	0.67
4V120-06-AC24W	5 Ports 4 Way 2 Position Valve 1/8" NPT	Wire Leads	Double Solenoid	AC 24V	0.67
4V120-06-AC110W	5 Ports 4 Way 2 Position Valve 1/8" NPT	Wire Leads	Double Solenoid	AC 110V	0.67
4V120-06-AC220W	5 Ports 4 Way 2 Position Valve 1/8" NPT	Wire Leads	Double Solenoid	AC 220V	0.67
4V130C-06-DC12	5 Ports 4 Way 3 Position CLOSED Center Valve 1/8" NPT	DIN Connector	Double Solenoid	DC 12V	0.5
4V130C-06-DC24	5 Ports 4 Way 3 Position CLOSED Center Valve 1/8" NPT	DIN Connector	Double Solenoid	DC 24V	0.5
4V130C-06-AC24	5 Ports 4 Way 3 Position CLOSED Center Valve 1/8" NPT	DIN Connector	Double Solenoid	AC 124V	0.5
4V130C-06-AC110	5 Ports 4 Way 3 Position CLOSED Center Valve 1/8" NPT	DIN Connector	Double Solenoid	AC 110V	0.5
4V130C-06-AC220	5 Ports 4 Way 3 Position CLOSED Center Valve 1/8" NPT	DIN Connector	Double Solenoid	AC 220V	0.5
4V130C-06-DC12W	5 Ports 4 Way 3 Position CLOSED Center Valve 1/8" NPT	Wire Leads	Double Solenoid	DC 12V	0.5
4V130C-06-DC24W	5 Ports 4 Way 3 Position CLOSED Center Valve 1/8" NPT	Wire Leads	Double Solenoid	DC 24V	0.5
4V130C-06-AC24W	5 Ports 4 Way 3 Position CLOSED Center Valve 1/8" NPT	Wire Leads	Double Solenoid	AC 24V	0.5
4V130C-06-AC110W		Wire Leads	Double Solenoid	AC 110V	0.5
4V130C-06-AC220W	5 Ports 4 Way 3 Position CLOSED Center Valve 1/8" NPT	Wire Leads	Double Solenoid	AC 220V	0.5
4V130E-06-DC12	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/8" NPT	DIN Connector	Double Solenoid	DC 12V	0.5
4V130E-06-DC24	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/8" NPT	DIN Connector	Double Solenoid	DC 24V	0.5
4V130E-06-AC24	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/8" NPT	DIN Connector	Double Solenoid	AC 110V	0.5
4V130E-06-AC110	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/8" NPT	DIN Connector	Double Solenoid	AC 24V	0.5
4V130E-06-AC220	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/8" NPT	DIN Connector	Double Solenoid	AC 220V	0.5
4V130E-06-DC12W	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/8" NPT	Wire Leads	Double Solenoid	DC 12V	0.5
4V130E-06-DC24W	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/8" NPT	Wire Leads	Double Solenoid	DC 24V	0.5
4V130E-06-AC24W	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/8" NPT	Wire Leads	Double Solenoid	AC 110V	0.5
4V130E-06-AC110W	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/8" NPT	Wire Leads	Double Solenoid	AC 24V	0.5
4V130E-06-AC220W	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/8" NPT	Wire Leads	Double Solenoid	AC 220V	0.5
4V130P-06-DC12	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/8" NPT	DIN Connector	Double Solenoid	DC 12V	0.5
4V130P-06-DC24	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/8" NPT	DIN Connector	Double Solenoid	DC 24V	0.5
4V130P-06-AC24	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/8" NPT	DIN Connector	Double Solenoid	AC 110V	0.5
4V130P-06-AC110	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/8" NPT	DIN Connector	Double Solenoid	AC 24V	0.5
4V130P-06-AC220	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/8" NPT	DIN Connector	Double Solenoid	AC 220V	0.5
4V130P-06-DC12W	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/8" NPT	Wire Leads	Double Solenoid	DC 12V	0.5
4V130P-06-DC24W	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/8" NPT	Wire Leads	Double Solenoid	DC 24V	0.5
4V130P-06-AC24W	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/8" NPT	Wire Leads	Double Solenoid	AC 110V	0.5
	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/8" NPT	Wire Leads	Double Solenoid	AC 24V	0.5
4V130P-06-AC220W	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/8" NPT	Wire Leads	Double Solenoid	AC 220V	0.5



Features/Specifications:
Pilot type:
Mount:
Wiring:
Insulation:
Water/Dust Protection:
Override:
Pressure:
Temperature:
Voltage Tolerance
Highest Action Frequency: Direct & Solenoid
Inline or Manifold
DIN Connector with LED
F Class
165
Manual, Locking (3V, 4V Series)
22 - 116 PSI (1.5 - 8 Bar)
-5 to +50°C (41 - 122°F)
±10% of Rated Voltage
6 cycles/sec













Model	Description	Commontion		Valtana	Flam (Cu)
Model	Description Special Country Co	Connection	0: 1 0 :	Voltage	Flow (Cv)
4V210-06-DC12	5 Ports 4 Way 2 Position Valve 1/8" NPT	DIN Connector	Single Solenoid	DC 12V	
4V210-06-DC24	5 Ports 4 Way 2 Position Valve 1/8" NPT	DIN Connector	Single Solenoid	DC 24V	
4V210-06-AC24	5 Ports 4 Way 2 Position Valve 1/8" NPT 5 Ports 4 Way 2 Position Valve 1/8" NPT	DIN Connector	Single Solenoid	AC 24V	
4V210-06-AC110 4V210-06-AC220	5 Ports 4 Way 2 Position Valve 1/8" NPT 5 Ports 4 Way 2 Position Valve 1/8" NPT	DIN Connector	Single Solenoid	AC 110V AC 220V	
4V210-06-AC220 4V210-06-DC12W	5 Ports 4 Way 2 Position Valve 1/8 NPT 5 Ports 4 Way 2 Position Valve 1/8" NPT	DIN Connector Wire Leads	Single Solenoid Single Solenoid	DC 12V	
4V210-06-DC12W	5 Ports 4 Way 2 Position Valve 1/8" NPT	Wire Leads	Single Solenoid	DC 12V	
4V210-06-DC24W	5 Ports 4 Way 2 Position Valve 1/8" NPT	Wire Leads	Single Solenoid	AC 24V	
4V210-06-AC110W	5 Ports 4 Way 2 Position Valve 1/8" NPT	Wire Leads	Single Solenoid	AC 110V	
4V210-06-AC220W	5 Ports 4 Way 2 Position Valve 1/8" NPT	Wire Leads	Single Solenoid	AC 220V	
4V210-08-DC12	5 Ports 4 Way 2 Position Valve 1/4" NPT (Exh. 1/8")	DIN Connector	Single Solenoid	DC 12V	0.89
4V210-08-DC24	5 Ports 4 Way 2 Position Valve 1/4" NPT (Exh. 1/8")	DIN Connector	Single Solenoid	DC 24V	0.89
4V210-08-AC24	5 Ports 4 Way 2 Position Valve 1/4" NPT (Exh. 1/8")	DIN Connector	Single Solenoid	AC 24V	0.89
4V210-08-AC110	5 Ports 4 Way 2 Position Valve 1/4" NPT (Exh. 1/8")	DIN Connector	Single Solenoid	AC 110V	0.89
4V210-08-AC220	5 Ports 4 Way 2 Position Valve 1/4" NPT (Exh. 1/8")	DIN Connector	Single Solenoid	AC 220V	0.89
4V210-08-DC12W	5 Ports 4 Way 2 Position Valve 1/4" NPT (Exh. 1/8")	Wire Leads	Single Solenoid	DC 12V	0.89
4V210-08-DC24W	5 Ports 4 Way 2 Position Valve 1/4" NPT (Exh. 1/8")	Wire Leads	Single Solenoid	DC 24V	0.89
4V210-08-AC24W	5 Ports 4 Way 2 Position Valve 1/4" NPT (Exh. 1/8")	Wire Leads	Single Solenoid	AC 24V	0.89
4V210-08-AC110W	5 Ports 4 Way 2 Position Valve 1/4" NPT (Exh. 1/8")	Wire Leads	Single Solenoid	AC 110V	0.89
4V210-08-AC220W	5 Ports 4 Way 2 Position Valve 1/4" NPT (Exh. 1/8")	Wire Leads	Single Solenoid	AC 220V	0.89
4V220-08-DC12	5 Ports 4 Way 2 Position Valve 1/4" NPT (Exh. 1/8")	DIN Connector	Double Solenoid	DC 12V	0.89
4V220-08-DC24	5 Ports 4 Way 2 Position Valve 1/4" NPT (Exh. 1/8")	DIN Connector	Double Solenoid	DC 24V	0.89
4V220-08-AC24	5 Ports 4 Way 2 Position Valve 1/4" NPT (Exh. 1/8")	DIN Connector	Double Solenoid	AC 24V	0.89
4V220-08-AC110	5 Ports 4 Way 2 Position Valve 1/4" NPT (Exh. 1/8")	DIN Connector	Double Solenoid	AC 110V	0.89
4V220-08-AC220	5 Ports 4 Way 2 Position Valve 1/4" NPT (Exh. 1/8")	DIN Connector	Double Solenoid	AC 220V	0.89
4V220-08-DC12W 4V220-08-DC24W	5 Ports 4 Way 2 Position Valve 1/4" NPT (Exh. 1/8") 5 Ports 4 Way 2 Position Valve 1/4" NPT (Exh. 1/8")	Wire Leads Wire Leads	Double Solenoid	DC 12V DC 24V	0.89
	5 Ports 4 Way 2 Position Valve 1/4 NPT (Exh. 1/8") 5 Ports 4 Way 2 Position Valve 1/4" NPT (Exh. 1/8")		Double Solenoid	AC 24V	
4V220-08-AC24W 4V220-08-AC110W	5 Ports 4 Way 2 Position Valve 1/4 NPT (Exh. 1/8") 5 Ports 4 Way 2 Position Valve 1/4" NPT (Exh. 1/8")	Wire Leads Wire Leads	Double Solenoid Double Solenoid	AC 24V AC 110V	0.89
4V220-08-AC220W	5 Ports 4 Way 2 Position Valve 1/4" NPT (Exh. 1/8")	Wire Leads		AC 220V	0.89
4V230C-06-DC12	5 Ports 4 Way 3 Position CLOSED Center Valve 1/8" NPT	DIN Connector	Double Solenoid Double Solenoid	DC 12V	0.67
4V230C-06-DC12	5 Ports 4 Way 3 Position CLOSED Center Valve 1/8" NPT	DIN Connector	Double Solenoid	DC 24V	0.67
4V230C-06-AC24	5 Ports 4 Way 3 Position CLOSED Center Valve 1/8" NPT	DIN Connector	Double Solenoid	AC 24V	0.67
4V230C-06-AC110	5 Ports 4 Way 3 Position CLOSED Center Valve 1/8" NPT	DIN Connector	Double Solenoid	AC 110V	0.67
4V230C-06-AC220	5 Ports 4 Way 3 Position CLOSED Center Valve 1/8" NPT	DIN Connector	Double Solenoid	AC 220V	0.67
4V230C-06-DC12W	5 Ports 4 Way 3 Position CLOSED Center Valve 1/8" NPT	Wire Leads	Double Solenoid	DC 12V	0.67
4V230C-06-DC24W	5 Ports 4 Way 3 Position CLOSED Center Valve 1/8" NPT	Wire Leads	Double Solenoid	DC 24V	0.67
4V230C-06-AC24W	5 Ports 4 Way 3 Position CLOSED Center Valve 1/8" NPT	Wire Leads	Double Solenoid	AC 24V	0.67
4V230C-06-AC110W	5 Ports 4 Way 3 Position CLOSED Center Valve 1/8" NPT	Wire Leads	Double Solenoid	AC 110V	0.67
4V230C-06-AC220W	5 Ports 4 Way 3 Position CLOSED Center Valve 1/8" NPT	Wire Leads	Double Solenoid	AC 220V	0.67
4V230E-06-DC12	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/8" NPT	DIN Connector	Double Solenoid	DC 12V	0.67
4V230E-06-DC24	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/8" NPT	DIN Connector	Double Solenoid	DC 24V	0.67
4V230E-06-AC24	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/8" NPT	DIN Connector	Double Solenoid	AC 24V	0.67
4V230E-06-AC110	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/8" NPT	DIN Connector	Double Solenoid	AC 110V	0.67
4V230E-06-AC220	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/8" NPT	DIN Connector	Double Solenoid	AC 220V	0.67
4V230E-06-DC12W	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/8" NPT	Wire Leads	Double Solenoid	DC 12V	0.67
4V230E-06-DC24W	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/8" NPT	Wire Leads	Double Solenoid	DC 24V	0.67
4V230E-06-AC24W	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/8" NPT	Wire Leads	Double Solenoid	AC 24V	0.67
4V230E-06-AC110W	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/8" NPT	Wire Leads	Double Solenoid	AC 110V	0.67
4V230E-06-AC220W	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/8" NPT	Wire Leads	Double Solenoid	AC 220V	0.67
4V230P-06-DC12	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/8" NPT	DIN Connector	Double Solenoid	DC 12V	0.67
4V230P-06-DC24 4V230P-06-AC24	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/8" NPT	DIN Connector	Double Solenoid	DC 24V AC 24V	0.67 0.67
4V230P-06-AC110	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/8" NPT 5 Ports 4 Way 3 Position PRESSURE Center Valve 1/8" NPT	DIN Connector DIN Connector	Double Solenoid Double Solenoid	AC 110V	0.67
4V230P-06-AC220	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/8" NPT	DIN Connector	Double Solenoid	AC 220V	0.67
4V230P-06-DC12W	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/8" NPT	Wire Leads	Double Solenoid	DC 12V	0.67
4V230P-06-DC24W	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/8" NPT	Wire Leads	Double Solenoid	DC 24V	0.67
4V230P-06-AC24W	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/8" NPT	Wire Leads	Double Solenoid	AC 24V	0.67
4V230P-06-AC110W	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/8" NPT	Wire Leads	Double Solenoid	AC 110V	0.67
4V230P-06-AC220W	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/8" NPT	Wire Leads	Double Solenoid	AC 220V	0.67
4V230C-08-DC12	5 Ports 4 Way 3 Position CLOSED Center Valve 1/4" NPT (Exh. 1/8")	DIN Connector	Double Solenoid	DC 12V	0.67
4V230C-08-DC24	5 Ports 4 Way 3 Position CLOSED Center Valve 1/4" NPT (Exh. 1/8")	DIN Connector	Double Solenoid	DC 24V	0.67
4V230C-08-AC24	5 Ports 4 Way 3 Position CLOSED Center Valve 1/4" NPT (Exh. 1/8")	DIN Connector	Double Solenoid	AC 24V	0.67
4V230C-08-AC110	5 Ports 4 Way 3 Position CLOSED Center Valve 1/4" NPT (Exh. 1/8")	DIN Connector	Double Solenoid	AC 110V	0.67
4V230C-08-AC220	5 Ports 4 Way 3 Position CLOSED Center Valve 1/4" NPT (Exh. 1/8")	DIN Connector	Double Solenoid	AC 220V	0.67
4V230C-08-DC12W	5 Ports 4 Way 3 Position CLOSED Center Valve 1/4" NPT (Exh. 1/8")	Wire Leads	Double Solenoid	DC 12V	0.67
4V230C-08-DC24W	5 Ports 4 Way 3 Position CLOSED Center Valve 1/4" NPT (Exh. 1/8")	Wire Leads	Double Solenoid	DC 24V	0.67
4V230C-08-AC24W	5 Ports 4 Way 3 Position CLOSED Center Valve 1/4" NPT (Exh. 1/8")	Wire Leads	Double Solenoid	AC 24V	0.67
4V230C-08-AC110W	5 Ports 4 Way 3 Position CLOSED Center Valve 1/4" NPT (Exh. 1/8")	Wire Leads	Double Solenoid	AC 110V	0.67
4V230C-08-AC220W 4V230E-08-DC12	5 Ports 4 Way 3 Position CLOSED Center Valve 1/4" NPT (Exh. 1/8") 5 Ports 4 Way 3 Position FXHALIST Center Valve 1/4" NPT (Exh. 1/8")	Wire Leads DIN Connector	Double Solenoid	AC 220V DC 12V	0.67
4V230E-08-DC12 4V230E-08-DC24	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/4" NPT (Exh. 1/8") 5 Ports 4 Way 3 Position EXHAUST Center Valve 1/4" NPT (Exh. 1/8")	DIN Connector	Double Solenoid	DC 12V	0.67 0.67
4V230E-08-DC24 4V230E-08-AC24	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/4 NPT (Exh. 1/8) 5 Ports 4 Way 3 Position EXHAUST Center Valve 1/4" NPT (Exh. 1/8")	DIN Connector	Double Solenoid Double Solenoid	AC 24V	0.67
4V230E-08-AC110	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/4" NPT (Exh. 1/8")	DIN Connector	Double Solenoid	AC 110V	0.67
4V230E-08-AC220	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/4 NPT (Ext. 1/8") 5 Ports 4 Way 3 Position EXHAUST Center Valve 1/4" NPT (Ext. 1/8")	DIN Connector	Double Solenoid	AC 220V	0.67
4V230E-08-DC12W	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/4" NPT (Exh. 1/8")	Wire Leads	Double Solenoid	DC 12V	0.67
4V230E-08-DC24W	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/4" NPT (Exh. 1/8")	Wire Leads	Double Solenoid	DC 24V	0.67
4V230E-08-AC24W	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/4" NPT (Exh. 1/8")	Wire Leads	Double Solenoid	AC 24V	0.67
4V230E-08-AC110W	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/4" NPT (Exh. 1/8")	Wire Leads	Double Solenoid	AC 110V	0.67
4V230E-08-AC220W	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/4" NPT (Exh. 1/8")	Wire Leads	Double Solenoid	AC 220V	0.67
4V230P-08-DC12	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/4" NPT (Exh. 1/8")	DIN Connector	Double Solenoid	DC 12V	0.67
4V230P-08-DC24	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/4" NPT (Exh. 1/8")	DIN Connector	Double Solenoid	DC 24V	0.67
4V230P-08-AC24	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/4" NPT (Exh. 1/8")	DIN Connector	Double Solenoid	AC 24V	0.67
4V230P-08-AC110	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/4" NPT (Exh. 1/8")	DIN Connector	Double Solenoid	AC 110V	0.67
4V230P-08-AC220	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/4" NPT (Exh. 1/8")	DIN Connector	Double Solenoid	AC 220V	0.67
4V230P-08-DC12W	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/4" NPT (Exh. 1/8")	Wire Leads	Double Solenoid	DC 12V	0.67
4V230P-08-DC24W	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/4" NPT (Exh. 1/8")	Wire Leads	Double Solenoid	DC 24V	0.67
4V230P-08-AC24W	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/4" NPT (Exh. 1/8")	Wire Leads	Double Solenoid	AC 24V	0.67
4V230P-08-AC110W	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/4" NPT (Exh. 1/8")	Wire Leads	Double Solenoid	AC 110V	0.67
4V230P-08-AC220W	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/4" NPT (Exh. 1/8")	Wire Leads	Double Solenoid	AC 220V	0.67

Features/Specifications:
Pilot type:
Mount:
Wiring:
Insulation:
Water/Dust Protection:
Override:
Pressure:
Temperature:
Voltage Tolerance
Highest Action Frequency: Direct & Solenoid
Inline or Manifold
DIN Connector with LED
F Class
165
Manual, Locking (3V, 4V Series)
22 - 116 PSI (1.5 - 8 Bar)
-5 to +50°C (41 - 122°F)
±10% of Rated Voltage
6 cycles/sec



	Model	Description	Connection		Voltage	Flow (Cv)
	4V310-08-DC12	5 Ports 4 Way 2 Position Valve 1/4" NPT	DIN Connector	Single Solenoid	DC 12V	1.68
1	4V310-08-DC24	5 Ports 4 Way 2 Position Valve 1/4" NPT	DIN Connector	Single Solenoid	DC 24V	1.68
	4V310-08-AC24	5 Ports 4 Way 2 Position Valve 1/4" NPT	DIN Connector	Single Solenoid	AC 24V	1.68
	4V310-08-AC110 4V310-08-AC220	5 Ports 4 Way 2 Position Valve 1/4" NPT 5 Ports 4 Way 2 Position Valve 1/4" NPT	DIN Connector DIN Connector	Single Solenoid Single Solenoid	AC 110V AC 220V	1.68 1.68
	4V310-08-DC12W	5 Ports 4 Way 2 Position Valve 1/4" NPT	Wire Leads	Single Solenoid	DC 12V	1.68
	4V310-08-DC12VV 4V310-08-DC24W	5 Ports 4 Way 2 Position Valve 1/4" NPT	Wire Leads	Single Solenoid	DC 24V	1.68
	4V310-08-AC24W	5 Ports 4 Way 2 Position Valve 1/4" NPT	Wire Leads	Single Solenoid	AC 24V	1.68
	4V310-08-AC110W	5 Ports 4 Way 2 Position Valve 1/4" NPT	Wire Leads	Single Solenoid	AC 110V	1.68
	4V310-08-AC220W	5 Ports 4 Way 2 Position Valve 1/4" NPT	Wire Leads	Single Solenoid	AC 220V	1.68
	4V310-10-DC12 4V310-10-DC24	5 Ports 4 Way 2 Position Valve 3/8" NPT (Exh. 1/4") 5 Ports 4 Way 2 Position Valve 3/8" NPT (Exh. 1/4")	DIN Connector	Single Solenoid	DC 12V	1.68
	4V310-10-DC24 4V310-10-AC24	5 Ports 4 Way 2 Position Valve 3/8" NPT (Exh. 1/4") 5 Ports 4 Way 2 Position Valve 3/8" NPT (Exh. 1/4")	DIN Connector DIN Connector	Single Solenoid Single Solenoid	DC 24V AC 24V	1.68 1.68
	4V310-10-AC24 4V310-10-AC110	5 Ports 4 Way 2 Position Valve 3/8" NPT (Exh. 1/4")	DIN Connector	Single Solenoid	AC 110V	1.68
	4V310-10-AC220	5 Ports 4 Way 2 Position Valve 3/8" NPT (Exh. 1/4")	DIN Connector	Single Solenoid	AC 220V	1.68
100	4V310-10-DC12W	5 Ports 4 Way 2 Position Valve 3/8" NPT (Exh. 1/4")	Wire Leads	Single Solenoid	DC 12V	1.68
	4V310-10-DC24W	5 Ports 4 Way 2 Position Valve 3/8" NPT (Exh. 1/4")	Wire Leads	Single Solenoid	DC 24V	1.68
	4V310-10-AC24W	5 Ports 4 Way 2 Position Valve 3/8" NPT (Exh. 1/4")	Wire Leads	Single Solenoid	AC 24V	1.68
	4V310-10-AC110W 4V310-10-AC220W	5 Ports 4 Way 2 Position Valve 3/8" NPT (Exh. 1/4")	Wire Leads	Single Solenoid	AC 110V AC 220V	1.68 1.68
	4V310-10-AC220W 4V320-10-DC12	5 Ports 4 Way 2 Position Valve 3/8" NPT (Exh. 1/4") 5 Ports 4 Way 2 Position Valve 3/8" NPT (Exh. 1/4")	Wire Leads DIN Connector	Single Solenoid Double Solenoid	DC 12V	1.68
	4V320-10-DC12 4V320-10-DC24	5 Ports 4 Way 2 Position Valve 3/8" NPT (Ext. 1/4") 5 Ports 4 Way 2 Position Valve 3/8" NPT (Ext. 1/4")	DIN Connector	Double Solenoid	DC 12V DC 24V	1.68
	4V320-10-DC24 4V320-10-AC24	5 Ports 4 Way 2 Position Valve 3/8" NPT (Ext. 1/4")	DIN Connector	Double Solenoid	AC 24V	1.68
	4V320-10-AC110	5 Ports 4 Way 2 Position Valve 3/8" NPT (Exh. 1/4")	DIN Connector	Double Solenoid	AC 110V	1.68
	4V320-10-AC220	5 Ports 4 Way 2 Position Valve 3/8" NPT (Exh. 1/4")	DIN Connector	Double Solenoid	AC 220V	1.68
	4V320-10-DC12W	5 Ports 4 Way 2 Position Valve 3/8" NPT (Exh. 1/4")	Wire Leads	Double Solenoid	DC 12V	1.68
estes	4V320-10-DC24W	5 Ports 4 Way 2 Position Valve 3/8" NPT (Exh. 1/4")	Wire Leads	Double Solenoid	DC 24V	1.68
1000	4V320-10-AC24W 4V320-10-AC110W	5 Ports 4 Way 2 Position Valve 3/8" NPT (Exh. 1/4") 5 Ports 4 Way 2 Position Valve 3/8" NPT (Exh. 1/4")	Wire Leads Wire Leads	Double Solenoid Double Solenoid	AC 24V AC 110V	1.68 1.68
	4V320-10-AC110W 4V320-10-AC220W	5 Ports 4 Way 2 Position Valve 3/8" NPT (Exh. 1/4") 5 Ports 4 Way 2 Position Valve 3/8" NPT (Exh. 1/4")	Wire Leads Wire Leads	Double Solenoid Double Solenoid	AC 110V AC 220V	1.68
	4V330C-10-AC220W	5 Ports 4 Way 3 Position CLOSED Center Valve 3/8" NPT (Exh. 1/4")	DIN Connector	Double Solenoid	DC 12V	1.00
	4V330C-10-DC24	5 Ports 4 Way 3 Position CLOSED Center Valve 3/8" NPT (Exh. 1/4")	DIN Connector	Double Solenoid	DC 24V	1.00
	4V330C-10-AC24	5 Ports 4 Way 3 Position CLOSED Center Valve 3/8" NPT (Exh. 1/4")	DIN Connector	Double Solenoid	AC 24V	1.00
	4V330C-10-AC110	5 Ports 4 Way 3 Position CLOSED Center Valve 3/8" NPT (Exh. 1/4")	DIN Connector	Double Solenoid	AC 110V	1.00
	4V330C-10-AC220	5 Ports 4 Way 3 Position CLOSED Center Valve 3/8" NPT (Exh. 1/4")	DIN Connector	Double Solenoid	AC 220V	1.00
	4V330C-10-DC12W	5 Ports 4 Way 3 Position CLOSED Center Valve 3/8" NPT (Exh. 1/4") 5 Ports 4 Way 3 Position CLOSED Center Valve 3/9" NPT (Exh. 1/4")	Wire Leads	Double Solenoid	DC 12V	1.00
	4V330C-10-DC24W 4V330C-10-AC24W	5 Ports 4 Way 3 Position CLOSED Center Valve 3/8" NPT (Exh. 1/4") 5 Ports 4 Way 3 Position CLOSED Center Valve 3/8" NPT (Exh. 1/4")	Wire Leads Wire Leads	Double Solenoid Double Solenoid	DC 24V AC 24V	1.00 1.00
	4V330C-10-AC24W	5 Ports 4 Way 3 Position CLOSED Center Valve 3/8" NPT (Exh. 1/4") 5 Ports 4 Way 3 Position CLOSED Center Valve 3/8" NPT (Exh. 1/4")	Wire Leads	Double Solenoid	AC 110V	1.00
	4V330C-10-AC220W	5 Ports 4 Way 3 Position CLOSED Center Valve 3/8" NPT (Exh. 1/4")	Wire Leads	Double Solenoid	AC 220V	1.00
	4V330E-10-DC12	5 Ports 4 Way 3 Position EXHAUST Center Valve 3/8" NPT (Exh. 1/4")	DIN Connector	Double Solenoid	DC 12V	1.00
1,107	4V330E-10-DC24	5 Ports 4 Way 3 Position EXHAUST Center Valve 3/8" NPT (Exh. 1/4")	DIN Connector	Double Solenoid	DC 24V	1.00
25182	4V330E-10-AC24	5 Ports 4 Way 3 Position EXHAUST Center Valve 3/8" NPT (Exh. 1/4")	DIN Connector	Double Solenoid	AC 24V	1.00
	4V330E-10-AC110 4V330E-10-AC220	5 Ports 4 Way 3 Position EXHAUST Center Valve 3/8" NPT (Exh. 1/4") 5 Ports 4 Way 3 Position EXHAUST Center Valve 3/8" NPT (Exh. 1/4")	DIN Connector DIN Connector	Double Solenoid Double Solenoid	AC 110V AC 220V	1.00
	4V330E-10-AC220 4V330E-10-DC12W	5 Ports 4 Way 3 Position EXHAUST Center Valve 3/8" NPT (Exh. 1/4") 5 Ports 4 Way 3 Position EXHAUST Center Valve 3/8" NPT (Exh. 1/4")	Wire Leads	Double Solenoid	DC 12V	1.00
	4V330E-10-DC12W 4V330E-10-DC24W	5 Ports 4 Way 3 Position EXHAUST Center Valve 3/8" NPT (Exh. 1/4")	Wire Leads	Double Solenoid	DC 24V	1.00
	4V330E-10-AC24W	5 Ports 4 Way 3 Position EXHAUST Center Valve 3/8" NPT (Exh. 1/4")	Wire Leads	Double Solenoid	AC 24V	1.00
	4V330E-10-AC110W	5 Ports 4 Way 3 Position EXHAUST Center Valve 3/8" NPT (Exh. 1/4")	Wire Leads	Double Solenoid	AC 110V	1.00
	4V330E-10-AC220W	5 Ports 4 Way 3 Position EXHAUST Center Valve 3/8" NPT (Exh. 1/4")	Wire Leads	Double Solenoid	AC 220V	1.00
	4V330P-10-DC12	5 Ports 4 Way 3 Position PRESSURE Center Valve 3/8" NPT (Exh. 1/4")	DIN Connector	Double Solenoid	DC 12V	1.00
	4V330P-10-DC24 4V330P-10-AC24	5 Ports 4 Way 3 Position PRESSURE Center Valve 3/8" NPT (Exh. 1/4") 5 Ports 4 Way 3 Position PRESSURE Center Valve 3/8" NPT (Exh. 1/4")	DIN Connector	Double Solenoid	DC 24V AC 24V	1.00 1.00
	4V330P-10-AC24 4V330P-10-AC110	5 Ports 4 Way 3 Position PRESSURE Center Valve 3/8" NPT (Exh. 1/4") 5 Ports 4 Way 3 Position PRESSURE Center Valve 3/8" NPT (Exh. 1/4")	DIN Connector DIN Connector	Double Solenoid Double Solenoid	AC 24V AC 110V	1.00
Nº 19	4V330P-10-AC110 4V330P-10-AC220	5 Ports 4 Way 3 Position PRESSURE Center Valve 3/8" NPT (Exh. 1/4") 5 Ports 4 Way 3 Position PRESSURE Center Valve 3/8" NPT (Exh. 1/4")	DIN Connector	Double Solenoid	AC 110V AC 220V	1.00
	4V330P-10-DC12W	5 Ports 4 Way 3 Position PRESSURE Center Valve 3/8" NPT (Exh. 1/4")	Wire Leads	Double Solenoid	DC 12V	1.00
FIRST	4V330P-10-DC24W	5 Ports 4 Way 3 Position PRESSURE Center Valve 3/8" NPT (Exh. 1/4")	Wire Leads	Double Solenoid	DC 24V	1.00
	4V330P-10-AC24W	5 Ports 4 Way 3 Position PRESSURE Center Valve 3/8" NPT (Exh. 1/4")	Wire Leads	Double Solenoid	AC 24V	1.00
	4V330P-10-AC110W	5 Ports 4 Way 3 Position PRESSURE Center Valve 3/8" NPT (Exh. 1/4")	Wire Leads	Double Solenoid	AC 110V	1.00
	4V330P-10-AC220W 4V410-15-DC12	5 Ports 4 Way 3 Position PRESSURE Center Valve 3/8" NPT (Exh. 1/4") 5 Ports 4 Way 2 Position Valve 1/2" NPT	Wire Leads DIN Connector	Double Solenoid	AC 220V DC 12V	1.00 2.79
	4V410-15-DC12 4V410-15-DC24	5 Ports 4 Way 2 Position Valve 1/2" NPT 5 Ports 4 Way 2 Position Valve 1/2" NPT	DIN Connector	Single Solenoid Single Solenoid	DC 12V DC 24V	2.79
	4V410-15-AC24	5 Ports 4 Way 2 Position Valve 1/2" NPT	DIN Connector	Single Solenoid	AC 24V	2.79
9 W 94	4V410-15-AC110	5 Ports 4 Way 2 Position Valve 1/2" NPT	DIN Connector	Single Solenoid	AC 110V	2.79
	4V410-15-AC220	5 Ports 4 Way 2 Position Valve 1/2" NPT	DIN Connector	Single Solenoid	AC 220V	2.79
	4V410-15-DC12W	5 Ports 4 Way 2 Position Valve 1/2" NPT	Wire Leads	Single Solenoid	DC 12V	2.79
	4V410-15-DC24W	5 Ports 4 Way 2 Position Valve 1/2" NPT	Wire Leads	Single Solenoid	DC 24V	2.79
+	4V410-15-AC24W 4V410-15-AC110W	5 Ports 4 Way 2 Position Valve 1/2" NPT 5 Ports 4 Way 2 Position Valve 1/2" NPT	Wire Leads Wire Leads	Single Solenoid Single Solenoid	AC 24V AC 110V	2.79
	4V410-15-AC110W 4V410-15-AC220W	5 Ports 4 Way 2 Position Valve 1/2" NPT	Wire Leads Wire Leads	Single Solenoid	AC 110V AC 220V	2.79
	4V420-15-DC12	5 Ports 4 Way 2 Position Valve 1/2 NPT 5 Ports 4 Way 2 Position Valve 1/2" NPT	DIN Connector	Double Solenoid	DC 12V	2.79
	4V420-15-DC24	5 Ports 4 Way 2 Position Valve 1/2" NPT	DIN Connector	Double Solenoid	DC 24V	2.79
	4V420-15-AC24	5 Ports 4 Way 2 Position Valve 1/2" NPT	DIN Connector	Double Solenoid	AC 24V	2.79
200	4V420-15-AC110	5 Ports 4 Way 2 Position Valve 1/2" NPT	DIN Connector	Double Solenoid	AC 110V	2.79
	4V420-15-AC220	5 Ports 4 Way 2 Position Valve 1/2" NPT	DIN Connector	Double Solenoid	AC 220V	2.79
	4V420-15-DC12W	5 Ports 4 Way 2 Position Valve 1/2" NPT	Wire Leads	Double Solenoid	DC 12V	2.79
19 155-10 B	4V420-15-DC24W 4V420-15-AC24W	5 Ports 4 Way 2 Position Valve 1/2" NPT 5 Ports 4 Way 2 Position Valve 1/2" NPT	Wire Leads Wire Leads	Double Solenoid Double Solenoid	DC 24V AC 24V	2.79 2.79
BULLET BE	4V420-15-AC24W 4V420-15-AC110W	5 Ports 4 Way 2 Position Valve 1/2 NPT 5 Ports 4 Way 2 Position Valve 1/2" NPT	Wire Leads Wire Leads	Double Solenoid	AC 24V AC 110V	2.79
	4V420-15-AC220W	5 Ports 4 Way 2 Position Valve 1/2" NPT	Wire Leads	Double Solenoid	AC 220V	2.79
						-

Features/Specifications:
Pilot type:
Mount:
Wiring:
Insulation:
Water/Dust Protection:
Override:
Pressure:
Temperature:
Voltage Tolerance
Highest Action Frequency: Direct & Solenoid
Inline or Manifold
DIN Connector with LED
F Class
165
Manual, Locking (3V, 4V Series)
22 - 116 PSI (1.5 - 8 Bar)
-5 to +50°C (41 - 122°F)
±10% of Rated Voltage
6 cycles/sec



	Model	Description	Connection		Voltage	Flow (Cv)
	4V430C-15-DC12	5 Ports 4 Way 3 Position CLOSED Center Valve 1/2" NPT	DIN Connector	Double Solenoid	DC 12V	1.68
	4V430C-15-DC24	5 Ports 4 Way 3 Position CLOSED Center Valve 1/2" NPT	DIN Connector	Double Solenoid	DC 24V	1.68
	4V430C-15-AC24	5 Ports 4 Way 3 Position CLOSED Center Valve 1/2" NPT	DIN Connector	Double Solenoid	AC 24V	1.68
	4V430C-15-AC110	5 Ports 4 Way 3 Position CLOSED Center Valve 1/2" NPT	DIN Connector	Double Solenoid	AC 110V	1.68
	4V430C-15-AC220	5 Ports 4 Way 3 Position CLOSED Center Valve 1/2" NPT	DIN Connector	Double Solenoid	AC 220V	1.68
	4V430C-15-DC12W	5 Ports 4 Way 3 Position CLOSED Center Valve 1/2" NPT	Wire Leads	Double Solenoid	DC 12V	1.68
	4V430C-15-DC24W	5 Ports 4 Way 3 Position CLOSED Center Valve 1/2" NPT	Wire Leads	Double Solenoid	DC 24V	1.68
	4V430C-15-AC24W	5 Ports 4 Way 3 Position CLOSED Center Valve 1/2" NPT	Wire Leads	Double Solenoid	AC 24V	1.68
	4V430C-15-AC110W	5 Ports 4 Way 3 Position CLOSED Center Valve 1/2" NPT	Wire Leads	Double Solenoid	AC 110V	1.68
	4V430C-15-AC220W	5 Ports 4 Way 3 Position CLOSED Center Valve 1/2" NPT	Wire Leads	Double Solenoid	AC 220V	1.68
	4V430E-15-DC12	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/2" NPT	DIN Connector	Double Solenoid	DC 12V	1.68
	4V430E-15-DC24	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/2" NPT	DIN Connector	Double Solenoid	DC 24V	1.68
100	4V430E-15-AC24	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/2" NPT	DIN Connector	Double Solenoid	AC 24V	1.68
	4V430E-15-AC110	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/2" NPT	DIN Connector	Double Solenoid	AC 110V	1.68
	4V430E-15-AC220	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/2" NPT	DIN Connector	Double Solenoid	AC 220V	1.68
	4V430E-15-DC12W	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/2" NPT	Wire Leads	Double Solenoid	DC 12V	1.68
Marrial	4V430E-15-DC24W	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/2" NPT	Wire Leads	Double Solenoid	DC 24V	1.68
	4V430E-15-AC24W	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/2" NPT	Wire Leads	Double Solenoid	AC 24V	1.68
	4V430E-15-AC110W	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/2" NPT	Wire Leads	Double Solenoid	AC 110V	1.68
	4V430E-15-AC220W	5 Ports 4 Way 3 Position EXHAUST Center Valve 1/2" NPT	Wire Leads	Double Solenoid	AC 220V	1.68
	4V430P-15-DC12	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/2" NPT	DIN Connector	Double Solenoid	DC 12V	1.68
	4V430P-15-DC24	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/2" NPT	DIN Connector	Double Solenoid	DC 24V	1.68
	4V430P-15-AC24	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/2" NPT	DIN Connector	Double Solenoid	AC 24V	1.68
	4V430P-15-AC110	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/2" NPT	DIN Connector	Double Solenoid	AC 110V	1.68
	4V430P-15-AC220	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/2" NPT	DIN Connector	Double Solenoid	AC 220V	1.68
	4V430P-15-DC12	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/2" NPT	Wire Leads	Double Solenoid	DC 12V	1.68
	4V430P-15-DC24	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/2" NPT	Wire Leads	Double Solenoid	DC 24V	1.68
	4V430P-15-AC24	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/2" NPT	Wire Leads	Double Solenoid	AC 24V	1.68
	4V430P-15-AC110	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/2" NPT	Wire Leads	Double Solenoid	AC 110V	1.68
	4V430P-15-AC220	5 Ports 4 Way 3 Position PRESSURE Center Valve 1/2" NPT	Wire Leads	Double Solenoid	AC 220V	1.68

Air Piloted Valves

	Model	Description	Flow (Cv)
	3A110-06	3 Way 2 Position NORMALLY CLOSED Air Piloted Valve 1/8" NPT	
	3A110-06NO	3 Way 2 Position NORMALLY OPEN Air Piloted Valve 1/8" NPT	
	3A120-06	3 Way 2 Position NORMALLY CLOSED Double Air Piloted Valve 1/8" NPT	
	3A210-08	3 Way 2 Position NORMALLY CLOSED Air Piloted Valve 1/4" NPT	0.89
	3A210-08NO	3 Way 2 Position NORMALLY OPEN Air Piloted Valve 1/4" NPT	0.89
	3A220-08	3 Way 2 Position NORMALLY CLOSED Double Air Piloted Valve 1/4" NPT	0.89
	3A310-10	3 Way 2 Position NORMALLY CLOSED Air Piloted Valve 3/8" NPT	1.68
	3A310-10NO	3 Way 2 Position NORMALLY OPEN Air Piloted Valve 3/8" NPT	1.68
	3A320-10	3 Way 2 Position NORMALLY CLOSED Double Air Piloted Valve 3/8" NPT	1.68
	3A410-15	3 Way 2 Position NORMALLY CLOSED Air Piloted Valve 1/2" NPT	2.79
	3A410-15NO	3 Way 2 Position NORMALLY OPEN Air Piloted Valve 1/2" NPT	2.79
The Contract of the Contract o	3A420-15	3 Way 2 Position NORMALLY CLOSED Double Air Piloted Valve 1/2" NPT	2.79
	4A110-06	5 Ports 4 Way 2 Position Air Piloted Valve 1/8" NPT	
and the same of th	4A120-06	5 Ports 4 Way 2 Position Double Air Piloted Valve 1/8" NPT	
	4A130C-06	5 Ports 4 Way 3 Position CENTER CLOSED Air Piloted Valve 1/8" NPT	
	4A130E-06	5 Ports 4 Way 3 Position EXHAUST CENTER Air Piloted Valve 1/8" NPT	
	4A210-08	5 Ports 4 Way 2 Position Air Piloted Valve 1/4" NPT (Exh. 1/8" NPT)	0.89
	4A220-08	5 Ports 4 Way 2 Position Double Air Piloted Valve 1/4" NPT (Exh. 1/8" NPT)	0.89
	4A230C-08	5 Ports 4 Way 3 Position CENTER CLOSED Air Piloted Valve 1/4" NPT	
	4A230E-08	5 Ports 4 Way 3 Position EXHAUST CENTER Air Piloted Valve 1/4" NPT	
	4A310-10	5 Ports 4 Way 2 Position Air Piloted Valve 3/8" NPT (Exh. 1/4" NPT)	1.68
	4A320-10	5 Ports 4 Way 2 Position Double Air Piloted Valve 3/8" NPT (Exh. 1/4" NPT)	1.68
	4A330C-10	5 Ports 4 Way 3 Position CENTER CLOSED Air Piloted Valve 3/8" NPT	
	4A330E-10	5 Ports 4 Way 3 Position EXHAUST CENTER Air Piloted Valve 3/8" NPT	
I	4A410-15	5 Ports 4 Way 2 Position Air Piloted Valve 1/2" NPT	2.79
I	4A420-15	5 Ports 4 Way 2 Position Double Air Piloted Valv 1/2" NPT	2.79
I	4A430C-15	5 Ports 4 Way 3 Position CENTER CLOSED Air Piloted Valve 1/2" NPT	
	4A430E-15	5 Ports 4 Way 3 Position EXHAUST CENTER Air Piloted Valve 1/2" NPT	

Hand Lever Valves









Model	Description	Flow (Cv)
4H210-06	5 Ports 4 Way 2 Position Hand Lever Valve 1/8" NPT Detented	0.78
4H210-06S	5 Ports 4 Way 2 Position Hand Lever Valve 1/8" NPT Spring Return	0.78
4H210-08	5 Ports 4 Way 2 Position Hand Lever Valve 1/4" NPT (Exh. 1/8") Detented	0.89
4H210-08S	5 Ports 4 Way 2 Position Hand Lever Valve 1/4" NPT (Exh. 1/8") Spring Return	0.89
4H230C-08	5 Ports 4 Way 3 Position Closed Center Hand Lever Valve 1/4" NPT (Exh. 1/8") Detented	0.67
4H230E-08	5 Ports 4 Way 3 Position Exhaust Center Hand Lever Valve 1/4" NPT (Exh. 1/8") Detented	
4H230P-08	5 Ports 4 Way 3 Position Pressure Center Hand Lever Valve 1/4" NPT (Exh. 1/8") Detented	
4H230C-08S	5 Ports 4 Way 3 Position Closed Center Hand Lever Valve 1/4" NPT (Exh. 1/8") Spring Return	0.67
4H230E-08S	5 Ports 4 Way 3 Position Exhaust Center Hand Lever Valve 1/4" NPT (Exh. 1/8") Spring Return	
4H230P-08S	5 Ports 4 Way 3 Position Pressure Center Hand Lever Valve 1/4" NPT (Exh. 1/8") Spring Return	
4H310-10	5 Ports 4 Way 2 Position Hand Lever Valve 3/8" NPT (Exh. 1/4") Detented	1.40
4H310-10S	5 Ports 4 Way 2 Position Hand Lever Valve 3/8" NPT (Exh. 1/4") Spring Return	1.40
4H330C-10	5 Ports 4 Way 3 Position Closed Center Hand Lever Valve 3/8" NPT (Exh. 1/4") Detented	1.00
4H330E-10	5 Ports 4 Way 3 Position Exhaust Center Hand Lever Valve 3/8" NPT (Exh. 1/4") Detented	
4H330P-10	5 Ports 4 Way 3 Position Pressure Center Hand Lever Valve 3/8" NPT (Exh. 1/4") Detented	
4H330C-10S	5 Ports 4 Way 3 Position Closed Center Hand Lever Valve 3/8" NPT (Exh. 1/4") Spring Return	1.00
4H330E-10S	5 Ports 4 Way 3 Position Exhaust Center Hand Lever Valve 3/8" NPT (Exh. 1/4") Spring Return	
4H330P-10S	5 Ports 4 Way 3 Position Pressure Center Hand Lever Valve 3/8" NPT (Exh. 1/4") Spring Return	
4H410-15	5 Ports 4 Way 2 Position Hand Lever Valve 1/2" NPT Detented	2.79
4H410-15S	5 Ports 4 Way 2 Position Hand Lever Valve 1/2" NPT Spring Return	2.79
4H430C-15	5 Ports 4 Way 3 Position Closed Center Hand Lever Valve 1/2* NPT Detented	1.68
4H430E-15	5 Ports 4 Way 3 Position Exhaust Center Hand Lever Valve 1/2" NPT Detented	
4H430P-15	5 Ports 4 Way 3 Position Pressure Center Hand Lever Valve 1/2" NPT Detented	
4H430C-15S	5 Ports 4 Way 3 Position Closed Center Hand Lever Valve 1/2" NPT Spring Return	
4H430E-15S	5 Ports 4 Way 3 Position Exhaust Center Hand Lever Valve 1/2" NPT Spring Return	1.68
4H430P-15S	5 Ports 4 Way 3 Position Pressure Center Hand Lever Valve 1/2" NPT Spring Return	



Model	Description	Flow (Cv)
MHVL2322	3 Way 2 Position Hand Lever Valve 1/4" NPT Detented	1.00
MHVL2322-S	3 Way 2 Position Hand Lever Valve 1/4" NPT Spring Return	1.00
MHVL2522	5 Ports 4 Way 2 Position Hand Lever Valve 1/4" NPT (Exh. 1/8") Detented	1.00
MHVL2522-S	5 Ports 4 Way 2 position Hand Lever Valve 1/4" NPT (Exh. 1/8") Spring Return	1.00





Model	Description	Flow (Cv)
HV400-02	4 Way 3 Position Hand Lever Valve 1/4" NPT Detented	1.68
HV400-03	4 Way 3 Position Hand Lever Valve 3/8" NPT Detented	1.68
HV400-04	4 Way 3 Position Hand Lever Valve 1/2" NPT Detented	1.68
4HV210-06	4 Way 2 Position Hand Lever Valve 1/8" NPT Detented	
4HV230C-06	4 Way 3 Position Hand Lever Closed Center Valve 1/8" NPT Detented	
4HV210-08	4 Way 2 Position Hand Lever Valve 1/4" NPT Detented	
4HV230C-08	4 Way 3 Position Hand Lever Closed Center Valve 1/4" NPT Detented	
4HV310-10	4 Way 2 Position Hand Lever Valve 3/8" NPT Detented	
4HV330C-10	4 Way 3 Position Hand Lever Closed Center Valve 3/8" NPT Detented	
4HV310-15	4 Way 2 Position Hand Lever Valve 1/2" NPT Detented	
4HV330C-15	4 Way 3 Position Hand Lever Closed Center Valve 1/2" NPT Detented	

Foot Valves







Model	Description			
FV320	3 Way 2 Position Foot Pedal Valve 1/4" NPT (Exh. 1/8" NPT) Spring Return			
FV420	4 Way 2 Position Food Pedal Valve 1/4" NPT (Exh. 1/8" NPT) Spring Return			
4F210-08	4 Way 2 Position Foot Pedal Valve 1/4" NPT Spring Return			
4F210-08L	4 Way 2 Position Food Pedal Valve 1/4" NPT with Lock			
4F210-08G	4 Way 2 Position Food Pedal Valve 1/4" NPT with Guard			
4F210-08LG	4 Way 2 Position Food Pedal Valve 1/4" NPT with Guard and Lock			
			ĺ	1

Sales Inquiries:
Tel: 1-905-532-0090
Fax: 1-905-532-1498
E-mail: sales@mettlertools.com

Push Button Valves



	Model	Description		Thread	Flow (Cv)
	Wodei	Description		Tilleau	Flow (CV)
	MPBV0321	3 Way 2 Position Direct Plunger Operated Valve 1/8" NPT Spring Return		1/8" NPT	0.89
	MPBV0322	3 Way 2 Position Direct Plunger Operated Valve 1/4" NPT Spring Return		1/4" NPT	0.89
- 1	MPBV0521 MPBV0522	5 Ports 4 Way 2 Position Direct Plunger Operated Valve 1/8" NPT Spring Return 5 Ports 4 Way 2 Position Direct Plunger Operated Valve 1/4" NPT (Exh. 1/8" NPT) \$	Spring Return	1/8" NPT 1/4" NPT	0.89 0.89
	WII BY0022	5 Tota 4 Way 2 Tostion Direct Hanger Operated Valve 1/4 TW T (Ext. 1/6 TW T) (Spring rectain	1/4 141 1	0.03
-	MPBV1321	3 Way 2 Position Green Convex Push Button Valve 1/8" NPT Spring Return		1/8" NPT	0.89
	MPBV1322	3 Way 2 Position Green Convex Push Button Valve 1/4" NPT Spring Return		1/4" NPT	0.89
. 0	MPBV4521	5 Ports 4 Way 2 Position Green Convex Push Button Valve 1/8" NPT Spring Return	Continue Determine	1/8" NPT 1/4" NPT	0.89 0.89
	MPBV1522	5 Ports 4 Way 2 Position Green Convex Push Button Valve 1/4" NPT (Exh. 1/8" NPT) Spring Return	1/4 INF I	0.09
	MPBV2321	3 Way 2 Position Green Flat Push Button Valve 1/8" NPT Spring Return		1/8" NPT	0.89
	MPBV2322	3 Way 2 Position Green Flat Push Button Valve 1/4" NPT Spring Return		1/4" NPT	0.89
	MPBV2521 MPBV2522	5 Ports 4 Way 2 Position Green Flat Push Button Valve 1/8" NPT Spring Return 5 Ports 4 Way 2 Position Green Flat Push Button Valve 1/4" NPT (Exh. 1/8" NPT) S	pring Deturn	1/8" NPT 1/4" NPT	0.89 0.89
	WFBV2322	5 FORS 4 Way 2 POSITION GREEN FIAT POSIT BUTTON VAIVE 1/4 INFT (EXIT. 1/6 INFT) 5	pring Return	1/4 INF I	0.09
			+		
	MPBV3321	3 Way 2 Position Green Mushroom Push Button Valve 1/8" NPT Spring Return		1/8" NPT	0.89
	MPBV3322	3 Way 2 Position Green Mushroom Push Button Valve 1/4" NPT Spring Return		1/4" NPT	0.89
	MPBV3521 MPBV3522	5 Ports 4 Way 2 Position Green Mushroom Push Button Valve 1/8" NPT Spring Retu 5 Ports 4 Way 2 Position Green Mushroom Push Button Valve 1/4" NPT (Exh. 1/8" N	Jrn JPT) Spring Poturn	1/8" NPT 1/4" NPT	0.89
2	IVIFDV3022	3 FOLS 4 Way 2 FOSITION Green Mushroom Push Button Valve 1/4" NPT (Exh. 1/8" F	NFT) Spring Return	1/4 NP1	0.89
				-	
	MPBV4321	3 Way 2 Position Red Mushroom Valve 1/8" NPT Detented		1/8" NPT	0.89
	MPBV4322	3 Way 2 Position Red Mushroom Valve 1/4" NPT Detented		1/4" NPT	0.89
	MPBV4521 MPBV4522	5 Ports 4 Way 2 Position Red Mushroom Valve 1/8" NPT Detented 5 Ports 4 Way 2 Position Red Mushroom Valve 1/4" NPT (Exh. 1/8" NPT) Detented		1/8" NPT 1/4" NPT	0.89 0.89
33	WFBV4322	5 POILS 4 Way 2 POSITION Red Mushicolli Valve 1/4 INFT (Ext. 1/6 INFT) Determed		1/4 INF I	0.09
	MPBV5321	3 Way 2 Position Roller Type Valve 1/8" NPT Spring Return		1/8" NPT	0.89
	MPBV5322	3 Way 2 Position Roller Type Valve 1/4" NPT Spring Return		1/4" NPT	0.89
	MPBV5521 MPBV5522	5 Ports 4 Way 2 Position Roller Type Valve 1/8" NPT Spring Return 5 Ports 4 Way 2 Position Roller Type Valve 1/4" NPT (Exh. 1/8" NPT) Spring Return		1/8" NPT 1/4" NPT	0.89
	WIF BV3322	3 Ports 4 Way 2 Position Roller Type Valve 1/4 NPT (Exit. 1/6 NPT) Spring Return		1/4 INF I	0.09
	-				
	MPBV6321	3 Way 2 Position Selector Type Valve 1/8" NPT Detented		1/8" NPT	0.89
	MPBV6322 MPBV6521	3 Way 2 Position Selector Type Valve 1/4" NPT Detented	 	1/4" NPT 1/8" NPT	0.89
	MPBV6521 MPBV6522	5 Ports 4 Way 2 Position Selector Type Valve 1/8" NPT Detented 5 Ports 4 Way 2 Position Selector Type Valve 1/4" NPT (Exh. 1/8" NPT) Detented		1/8" NPT 1/4" NPT	0.89
3		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			2.00
	MPBV7321	3 Way 2 Position Twist Lever Type Valve 1/8" NPT Detented		1/8" NPT	0.89
	MPBV7322 MPBV7521	3 Way 2 Position Twist Lever Type Valve 1/4" NPT Detented		1/4" NPT 1/8" NPT	0.89
	MPBV7521	5 Ports 4 Way 2 Position Twist Lever Type Valve 1/8" NPT Detented 5 Ports 4 Way 2 Position Twist Lever Type Valve 1/4" NPT (Exh. 1/8" NPT) Detente	ed .	1/4" NPT	0.89
3/		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			2.00
	MPBV8321	3 Way 2 Position Push-Pull Valve 1/8" NPT Detented		1/8" NPT	0.78
	MPBV8322	3 Way 2 Position Push-Pull Valve 1/4" NPT Detented		1/4" NPT	0.89
	MPBV8521	5 Ports 4 Way 2 Position Push-Pull Valve 1/8" NPT Detented	 	1/8" NPT 1/4" NPT	0.78
	MPBV8522	5 Ports 4 Way 2 Position Push-Pull Valve 1/4" NPT (Exh. 1/8" NPT) Detented		1/4 INP1	0.89
	MDT\/4522	F Posts 4 Way 2 Position Toggle Volum 1/4" NDT Potented		1/4" NDT	4.00
	MPTV1522	5 Ports 4 Way 2 Position Toggle Valve 1/4" NPT Detented		1/4" NPT	1.00
- Sec. (1)		†	 		

Push Button Valves (Mini)



	Model	Description		Thread	Flow (Cv)
	MPBS0321	3 Way 2 Position Direct Plunger Operated MINI Valve 1/8" NPT Spring Return		1/8" NPT	0.67
	MPBS1321	3 Way 2 Position Green Convex Push Button MINI Valve 1/8" NPT Spring Return		1/8" NPT	0.67
	MPBS2321	3 Way 2 Position Green Flat Push Button MINI Valve 1/8" NPT Spring Return		1/8" NPT	0.67
	MPBS3321	3 Way 2 Position Green Mushroom Button MINI Valve 1/8* NPT Spring Return		1/8" NPT	0.67
•					
	MPBS4321	3 Way 2 Position Red Mushroom Button MINI Valve 1/8" NPT Detented		1/8" NPT	0.67
	MPBS5321	3 Way 2 Position Roller Type MINI Valve 1/8" NPT Spring Return		1/8" NPT	0.67
	MPBS6321	3 Way 2 Position Selector Type MINI Valve 1/8" NPT Detented		1/8" NPT	0.67

Flow Control Valves





Model	Description	Thread	
MASC-06	Speed Control Female-Female 1/8" NPT	1/8" NPT	
MASC-08	Speed Control Female-Female 1/4" NPT	1/4" NPT	
MASC-10	Speed Control Female-Female 3/8" NPT	3/8" NPT	
MASC-15	Speed Control Female-Female 1/2" NPT	1/2" NPT	
	Body Material - Aluminum		
_			





Model	Description		Thread	
MFSC-N01	Elbow Speed Control Male-Female 1/8" NPT Brass Nickel Plated		1/8" NPT	
MFSC-N02	Elbow Speed Control Male-Female 1/4" NPT Brass Nickel Plated		1/4" NPT	
Material:	Nickel Plated Brass			

Threaded Check Valves



Model	Description		Thread	
CVFF-N01	Aluminum Check Valve Female-Female		1/8" NPT	
CVFF-N02	Aluminum Check Valve Female-Female		1/4" NPT	
CVFF-N03	Aluminum Check Valve Female-Female		3/8" NPT	
CVFF-N04	Aluminum Check Valve Female-Female		1/2" NPT	
CVFF-N06	Aluminum Check Valve Female-Female		3/4" NPT	
CVFF-N10	Aluminum Check Valve Female-Female		1" NPT	
Body Material:	Aluminum			_
	·	 		

	Model	Description		Thread	
ſ	BCVFM-N01	Check Valve Female-Male 1/8" NPT Brass Nickel Plated		1/8" NPT	

Quick Exhaust Valves



Model	Description	Thread
QE-N01	Quick Exhaust Valve Aluminum	1/8" NPT
QE-N02	Quick Exhaust Valve Aluminum	1/4" NPT
QE-N03	Quick Exhaust Valve Aluminum	3/8" NPT
QE-N04	Quick Exhaust Valve Aluminum	1/2" NPT
QE-N06	Quick Exhaust Valve Aluminum	3/4" NPT
	Body Material - Aluminum	
Model	Description	Thread
BQE-N01	Quick Exhaust Valve Brass	1/8" NPT
BQE-N02	Quick Exhaust Valve Brass	1/4" NPT
BQE-N03	Quick Exhaust Valve Brass	3/8" NPT
BQE-N04	Quick Exhaust Valve Brass	1/2" NPT
	Rody Material - Nickel Plated Brass	

Shuttle Valves



Model	Description			Thread	
ST-N01	Shuttle Valve Aluminum			1/8" NPT	
ST-N02	Shuttle Valve Aluminum			1/4" NPT	
ST-N03	Shuttle Valve Aluminum			3/8" NPT	
ST-N04	Shuttle Valve Aluminum			1/2" NPT	
	Body Material - Aluminum				
		_	·		

 Sales Inquiries:


 Tel:
 1-905-532-0090

 Fax:
 1-905-532-1498

 E-mail:
 sales@mettlertools.co.

Manifolds





Solenoid Coils/Din Connectors



	Model	Description	
0	C100-DC12	Coil for 100 Series Solenoid Valves DIN Connector	DC 12V
3	C100-DC24	Coil for 100 Series Solenoid Valves DIN Connector	DC 24V
0	C100-AC24	Coil for 100 Series Solenoid Valves DIN Connector	
	C100-AC110	Coil for 100 Series Solenoid Valves DIN Connector	AC 110V
	C100-AC220	Coil for 100 Series Solenoid Valves DIN Connector	AC 220V
	C100-DC12W	Coil for 100 Series Solenoid Valves Lead Wire	DC 12V
	C100-DC24W	Coil for 100 Series Solenoid Valves Lead Wire	DC 24V
	C100-AC24W	Coil for 100 Series Solenoid Valves Lead Wire	
90	C100-AC110W	Coil for 100 Series Solenoid Valves Lead Wire	AC 110V
	C100-AC220W	Coil for 100 Series Solenoid Valves Lead Wire	AC 220V
	C200-DC12	Coil for 200-400 Series Solenoid Valves DIN Connector	DC 12V
	C200-DC24	Coil for 200-400 Series Solenoid Valves DIN Connector	DC 24V
20	C200-AC24	Coil for 200-400 Series Solenoid Valves DIN Connector	
Q.	C200-AC110	Coil for 200-400 Series Solenoid Valves DIN Connector	AC 110V
	C200-AC220	Coil for 200-400 Series Solenoid Valves DIN Connector	AC 220V
000	0000 004044	0.77 000 400 0 : 0.1 :11/4 1 11/4	P0 401/
(She	C200-DC12W	Coil for 200-400 Series Solenoid Valves Lead Wire	DC 12V
UNE	C200-DC24W	Coil for 200-400 Series Solenoid Valves Lead Wire	DC 24V
<u> </u>	C200-AC24W	Coil for 200-400 Series Solenoid Valves Lead Wire	
	C200-AC110W	Coil for 200-400 Series Solenoid Valves Lead Wire	AC 110V
	C200-AC220W	Coil for 200-400 Series Solenoid Valves Lead Wire	AC 220V
58	C100-AC-DIN	DIN Connector for 100 Series AC Solenoid Coil	AC
100	C100-DC-DIN	DIN Connector for 100 Series DC Solenoid Coil	DC
	C200-AC-DIN	DIN Connector for 200-400 Series AC Solenoid Coil	AC
	C200-DC-DIN	DIN Connector for 200-400 Series DC Solenoid Coil	DC