

Specifications	
Material	6061 Aluminum (Anodized, Black)
Working Pressure	1000 PSI Non Shock Air @ 72°F (22°C)
Temperature Range	-10°F to 200°F (-23°C to 93°C)
Media	Air, water, natural gas, hydraulic oils, gasoline


Part #	Description	Port Distance (E)	Input	Output	# of Stations
AM32-4	Single Row Inline Manifold	19.5 mm	1/8" NPT	10-32 UNF	4
AM32-6	Single Row Inline Manifold	19.5 mm	1/8" NPT	10-32 UNF	6
AM32-8	Single Row Inline Manifold	19.5 mm	1/8" NPT	10-32 UNF	8
AM32-10	Single Row Inline Manifold	19.5 mm	1/8" NPT	10-32 UNF	10

Part #	Description	Port Distance (E)	Input	Output	# of Stations
AM10-125-2	Single Row Inline Manifold	19.5 mm	1/4" NPT	1/8" NPT	2
AM10-125-3	Single Row Inline Manifold	19.5 mm	1/4" NPT	1/8" NPT	3
AM10-125-4	Single Row Inline Manifold	19.5 mm	1/4" NPT	1/8" NPT	4
AM10-125-5	Single Row Inline Manifold	19.5 mm	1/4" NPT	1/8" NPT	5
AM10-125-6	Single Row Inline Manifold	19.5 mm	1/4" NPT	1/8" NPT	6
AM10-125-7	Single Row Inline Manifold	19.5 mm	1/4" NPT	1/8" NPT	7
AM10-125-8	Single Row Inline Manifold	19.5 mm	1/4" NPT	1/8" NPT	8
AM10-125-9	Single Row Inline Manifold	19.5 mm	1/4" NPT	1/8" NPT	9
AM10-125-10	Single Row Inline Manifold	19.5 mm	1/4" NPT	1/8" NPT	10

Part #	Description	Port Distance (E)	Input	Output	# of Stations
AM10-125-2W	Single Row Inline Manifold WIDE	38.1 mm	1/4" NPT	1/8" NPT	2
AM10-125-4W	Single Row Inline Manifold WIDE	38.1 mm	1/4" NPT	1/8" NPT	4
AM10-125-6W	Single Row Inline Manifold WIDE	38.1 mm	1/4" NPT	1/8" NPT	6
AM10-125-8W	Single Row Inline Manifold WIDE	38.1 mm	1/4" NPT	1/8" NPT	8

Part #	Description	Port Distance (E)	Input	Output	# of Stations
AM10-250-2	Single Row Inline Manifold	22.35 mm	1/4" NPT	1/4" NPT	2
AM10-250-3	Single Row Inline Manifold	22.35 mm	1/4" NPT	1/4" NPT	3
AM10-250-4	Single Row Inline Manifold	22.35 mm	1/4" NPT	1/4" NPT	4
AM10-250-5	Single Row Inline Manifold	22.35 mm	1/4" NPT	1/4" NPT	5
AM10-250-6	Single Row Inline Manifold	22.35 mm	1/4" NPT	1/4" NPT	6
AM10-250-7	Single Row Inline Manifold	22.35 mm	1/4" NPT	1/4" NPT	7
AM10-250-8	Single Row Inline Manifold	22.35 mm	1/4" NPT	1/4" NPT	8
AM10-250-9	Single Row Inline Manifold	22.35 mm	1/4" NPT	1/4" NPT	9
AM10-250-10	Single Row Inline Manifold	22.35 mm	1/4" NPT	1/4" NPT	10


Part #	Description	Port Distance (E)	Input	Output	# of Stations
AM10-250-2W	Single Row Inline Manifold WIDE	38.1 mm	1/4" NPT	1/4" NPT	2
AM10-250-4W	Single Row Inline Manifold WIDE	38.1 mm	1/4" NPT	1/4" NPT	4
AM10-250-6W	Single Row Inline Manifold WIDE	38.1 mm	1/4" NPT	1/4" NPT	6
AM10-250-8W	Single Row Inline Manifold WIDE	38.1 mm	1/4" NPT	1/4" NPT	8



Specifications	
Material	6061 Aluminum (Anodized, Black)
Working Pressure	1000 PSI Non Shock Air @ 72°F (22°C)
Temperature Range	-10°F to 200°F (-23°C to 93°C)
Media	Air, water, natural gas, hydraulic oils, gasoline

Part #	Description	Port Distance (E)	Input	Output	# of Stations
AM20-125-2	Single Row Inline Manifold	19.5 mm	3/8" NPT	1/8" NPT	2
AM20-125-3	Single Row Inline Manifold	19.5 mm	3/8" NPT	1/8" NPT	3
AM20-125-4	Single Row Inline Manifold	19.5 mm	3/8" NPT	1/8" NPT	4
AM20-125-5	Single Row Inline Manifold	19.5 mm	3/8" NPT	1/8" NPT	5
AM20-125-6	Single Row Inline Manifold	19.5 mm	3/8" NPT	1/8" NPT	6
AM20-125-7	Single Row Inline Manifold	19.5 mm	3/8" NPT	1/8" NPT	7
AM20-125-8	Single Row Inline Manifold	19.5 mm	3/8" NPT	1/8" NPT	8
AM20-125-9	Single Row Inline Manifold	19.5 mm	3/8" NPT	1/8" NPT	9
AM20-125-10	Single Row Inline Manifold	19.5 mm	3/8" NPT	1/8" NPT	10

Part #	Description	Port Distance (E)	Input	Output	# of Stations
AM20-125-2W	Single Row Inline Manifold WIDE	38.1 mm	3/8" NPT	1/8" NPT	2
AM20-125-4W	Single Row Inline Manifold WIDE	38.1 mm	3/8" NPT	1/8" NPT	4
AM20-125-6W	Single Row Inline Manifold WIDE	38.1 mm	3/8" NPT	1/8" NPT	6
AM20-125-8W	Single Row Inline Manifold WIDE	38.1 mm	3/8" NPT	1/8" NPT	8




Specifications	
Material	6061 Aluminum (Anodized, Black)
Working Pressure	1000 PSI Non Shock Air @ 72°F (22°C)
Temperature Range	-10°F to 200°F (-23°C to 93°C)
Media	Air, water, natural gas, hydraulic oils, gasoline

Part #	Description	Port Distance (E)	Input	Output	# of Stations
AM20-250-2	Single Row Inline Manifold	22.35 mm	3/8" NPT	1/4" NPT	2
AM20-250-3	Single Row Inline Manifold	22.35 mm	3/8" NPT	1/4" NPT	3
AM20-250-4	Single Row Inline Manifold	22.35 mm	3/8" NPT	1/4" NPT	4
AM20-250-5	Single Row Inline Manifold	22.35 mm	3/8" NPT	1/4" NPT	5
AM20-250-6	Single Row Inline Manifold	22.35 mm	3/8" NPT	1/4" NPT	6
AM20-250-7	Single Row Inline Manifold	22.35 mm	3/8" NPT	1/4" NPT	7
AM20-250-8	Single Row Inline Manifold	22.35 mm	3/8" NPT	1/4" NPT	8
AM20-250-9	Single Row Inline Manifold	22.35 mm	3/8" NPT	1/4" NPT	9
AM20-250-10	Single Row Inline Manifold	22.35 mm	3/8" NPT	1/4" NPT	10

Part #	Description	Port Distance (E)	Input	Output	# of Stations
AM20-250-2W	Single Row Inline Manifold WIDE	38.1 mm	3/8" NPT	1/4" NPT	2
AM20-250-4W	Single Row Inline Manifold WIDE	38.1 mm	3/8" NPT	1/4" NPT	4
AM20-250-6W	Single Row Inline Manifold WIDE	38.1 mm	3/8" NPT	1/4" NPT	6
AM20-250-8W	Single Row Inline Manifold WIDE	38.1 mm	3/8" NPT	1/4" NPT	8

Part #	Description	Port Distance (E)	Input	Output	# of Stations
AM20-375-2	Single Row Inline Manifold	28.7 mm	3/8" NPT	3/8" NPT	2
AM20-375-3	Single Row Inline Manifold	28.7 mm	3/8" NPT	3/8" NPT	3
AM20-375-4	Single Row Inline Manifold	28.7 mm	3/8" NPT	3/8" NPT	4
AM20-375-5	Single Row Inline Manifold	28.7 mm	3/8" NPT	3/8" NPT	5
AM20-375-6	Single Row Inline Manifold	28.7 mm	3/8" NPT	3/8" NPT	6
AM20-375-7	Single Row Inline Manifold	28.7 mm	3/8" NPT	3/8" NPT	7
AM20-375-8	Single Row Inline Manifold	28.7 mm	3/8" NPT	3/8" NPT	8
AM20-375-9	Single Row Inline Manifold	28.7 mm	3/8" NPT	3/8" NPT	9
AM20-375-10	Single Row Inline Manifold	28.7 mm	3/8" NPT	3/8" NPT	10




Specifications	
Material	6061 Aluminum (Anodized, Black)
Working Pressure	1000 PSI Non Shock Air @ 72°F (22°C)
Temperature Range	-10°F to 200°F (-23°C to 93°C)
Media	Air, water, natural gas, hydraulic oils, gasoline

Part #	Description	Port Distance (E)	Input	Output	# of Stations
AM30-250-2	Single Row Inline Manifold	25.4 mm	1/2" NPT	1/4" NPT	2
AM30-250-3	Single Row Inline Manifold	25.4 mm	1/2" NPT	1/4" NPT	3
AM30-250-4	Single Row Inline Manifold	25.4 mm	1/2" NPT	1/4" NPT	4
AM30-250-5	Single Row Inline Manifold	25.4 mm	1/2" NPT	1/4" NPT	5
AM30-250-6	Single Row Inline Manifold	25.4 mm	1/2" NPT	1/4" NPT	6
AM30-250-7	Single Row Inline Manifold	25.4 mm	1/2" NPT	1/4" NPT	7
AM30-250-8	Single Row Inline Manifold	25.4 mm	1/2" NPT	1/4" NPT	8
AM30-250-9	Single Row Inline Manifold	25.4 mm	1/2" NPT	1/4" NPT	9
AM30-250-10	Single Row Inline Manifold	25.4 mm	1/2" NPT	1/4" NPT	10

Part #	Description	Port Distance (E)	Input	Output	# of Stations
AM30-250-2W	Single Row Inline Manifold WIDE	38.1 mm	1/2" NPT	1/4" NPT	2
AM30-250-4W	Single Row Inline Manifold WIDE	38.1 mm	1/2" NPT	1/4" NPT	4
AM30-250-6W	Single Row Inline Manifold WIDE	38.1 mm	1/2" NPT	1/4" NPT	6
AM30-250-8W	Single Row Inline Manifold WIDE	38.1 mm	1/2" NPT	1/4" NPT	8
AM30-250-10W	Single Row Inline Manifold WIDE	38.1 mm	1/2" NPT	1/4" NPT	10

Part #	Description	Port Distance (E)	Input	Output	# of Stations
AM30-375-2	Single Row Inline Manifold	25.4 mm	1/2" NPT	3/8" NPT	2
AM30-375-3	Single Row Inline Manifold	25.4 mm	1/2" NPT	3/8" NPT	3
AM30-375-4	Single Row Inline Manifold	25.4 mm	1/2" NPT	3/8" NPT	4
AM30-375-5	Single Row Inline Manifold	25.4 mm	1/2" NPT	3/8" NPT	5
AM30-375-6	Single Row Inline Manifold	25.4 mm	1/2" NPT	3/8" NPT	6
AM30-375-7	Single Row Inline Manifold	25.4 mm	1/2" NPT	3/8" NPT	7
AM30-375-8	Single Row Inline Manifold	25.4 mm	1/2" NPT	3/8" NPT	8
AM30-375-9	Single Row Inline Manifold	25.4 mm	1/2" NPT	3/8" NPT	9
AM30-375-10	Single Row Inline Manifold	25.4 mm	1/2" NPT	3/8" NPT	10


Part #	Description	Port Distance (E)	Input	Output	# of Stations
AM30-375-2W	Single Row Inline Manifold WIDE	38.1 mm	1/2" NPT	3/8" NPT	2
AM30-375-4W	Single Row Inline Manifold WIDE	38.1 mm	1/2" NPT	3/8" NPT	4
AM30-375-6W	Single Row Inline Manifold WIDE	38.1 mm	1/2" NPT	3/8" NPT	6
AM30-375-8W	Single Row Inline Manifold WIDE	38.1 mm	1/2" NPT	3/8" NPT	8



Specifications	
Material	6061 Aluminum (Anodized, Black)
Working Pressure	1000 PSI Non Shock Air @ 72°F (22°C)
Temperature Range	-10°F to 200°F (-23°C to 93°C)
Media	Air, water, natural gas, hydraulic oils, gasoline

Part #	Description	Port Distance (E)	Input	Output	# of Stations
AM35-250-2	Single Row Inline Manifold	22.35 mm	3/4" NPT	1/4" NPT	2
AM35-250-3	Single Row Inline Manifold	22.35 mm	3/4" NPT	1/4" NPT	3
AM35-250-4	Single Row Inline Manifold	22.35 mm	3/4" NPT	1/4" NPT	4
AM35-250-5	Single Row Inline Manifold	22.35 mm	3/4" NPT	1/4" NPT	5
AM35-250-6	Single Row Inline Manifold	22.35 mm	3/4" NPT	1/4" NPT	6
AM35-250-7	Single Row Inline Manifold	22.35 mm	3/4" NPT	1/4" NPT	7
AM35-250-8	Single Row Inline Manifold	22.35 mm	3/4" NPT	1/4" NPT	8
AM35-250-9	Single Row Inline Manifold	22.35 mm	3/4" NPT	1/4" NPT	9
AM35-250-10	Single Row Inline Manifold	22.35 mm	3/4" NPT	1/4" NPT	10


Part #	Description	Port Distance (E)	Input	Output	# of Stations
AM35-375-2	Single Row Inline Manifold	28.7 mm	3/4" NPT	3/8" NPT	2
AM35-375-3	Single Row Inline Manifold	28.7 mm	3/4" NPT	3/8" NPT	3
AM35-375-4	Single Row Inline Manifold	28.7 mm	3/4" NPT	3/8" NPT	4
AM35-375-5	Single Row Inline Manifold	28.7 mm	3/4" NPT	3/8" NPT	5
AM35-375-6	Single Row Inline Manifold	28.7 mm	3/4" NPT	3/8" NPT	6
AM35-375-7	Single Row Inline Manifold	28.7 mm	3/4" NPT	3/8" NPT	7
AM35-375-8	Single Row Inline Manifold	28.7 mm	3/4" NPT	3/8" NPT	8
AM35-375-9	Single Row Inline Manifold	28.7 mm	3/4" NPT	3/8" NPT	9
AM35-375-10	Single Row Inline Manifold	28.7 mm	3/4" NPT	3/8" NPT	10



Specifications	
Material	6061 Aluminum
Working Pressure	1000 PSI Non Shock Air @ 72°F (22°C)
Temperature Range	-10°F to 200°F (-23°C to 93°C)
Media	Air, water, natural gas, hydraulic oils, gasoline

Part #	Description	Port Distance (E)	Input	Output	# of Stations
AM40-500-3	Single Row Inline Manifold	57.15 mm	1" NPT	1/2" NPT	3
AM40-500-4	Single Row Inline Manifold	57.15 mm	1" NPT	1/2" NPT	4
AM40-500-6	Single Row Inline Manifold	57.15 mm	1" NPT	1/2" NPT	6
AM40-500-8	Single Row Inline Manifold	57.15 mm	1" NPT	1/2" NPT	8

Part #	Description	Port Distance (E)	Input	Output	# of Stations
AM40-750-3	Single Row Inline Manifold	76.2 mm	1" NPT	3/4" NPT	3
AM40-750-4	Single Row Inline Manifold	76.2 mm	1" NPT	3/4" NPT	4
AM40-750-6	Single Row Inline Manifold	76.2 mm	1" NPT	3/4" NPT	6
AM40-750-8	Single Row Inline Manifold	76.2 mm	1" NPT	3/4" NPT	8



Part #	Description	Port Distance (E)	Input	Output	# of Stations
AM10-250-2R	Single Row Inline Manifold	22.35 mm	1/4" BSPT (R)	1/4" BSPT (R)	2
AM10-250-4R	Single Row Inline Manifold	22.35 mm	1/4" BSPT (R)	1/4" BSPT (R)	4
AM10-250-6R	Single Row Inline Manifold	22.35 mm	1/4" BSPT (R)	1/4" BSPT (R)	6
AM10-250-8R	Single Row Inline Manifold	22.35 mm	1/4" BSPT (R)	1/4" BSPT (R)	8
AM20-250-2R	Single Row Inline Manifold	22.35 mm	3/8" BSPT (R)	1/4" BSPT (R)	2
AM20-250-4R	Single Row Inline Manifold	22.35 mm	3/8" BSPT (R)	1/4" BSPT (R)	4
AM20-250-6R	Single Row Inline Manifold	22.35 mm	3/8" BSPT (R)	1/4" BSPT (R)	6
AM20-250-8R	Single Row Inline Manifold	22.35 mm	3/8" BSPT (R)	1/4" BSPT (R)	8
AM30-375-2R	Single Row Inline Manifold	25.4 mm	1/2" BSPT (R)	3/8" BSPT (R)	2
AM30-375-4R	Single Row Inline Manifold	25.4 mm	1/2" BSPT (R)	3/8" BSPT (R)	4
AM30-375-6R	Single Row Inline Manifold	25.4 mm	1/2" BSPT (R)	3/8" BSPT (R)	6
AM30-375-8R	Single Row Inline Manifold	25.4 mm	1/2" BSPT (R)	3/8" BSPT (R)	8
AM10-250-2G	Single Row Inline Manifold	22.35 mm	1/4" BSPP (G)	1/4" BSPP (G)	2
AM10-250-4G	Single Row Inline Manifold	22.35 mm	1/4" BSPP (G)	1/4" BSPP (G)	4
AM10-250-6G	Single Row Inline Manifold	22.35 mm	1/4" BSPP (G)	1/4" BSPP (G)	6
AM10-250-8G	Single Row Inline Manifold	22.35 mm	1/4" BSPP (G)	1/4" BSPP (G)	8
AM20-250-2G	Single Row Inline Manifold	22.35 mm	3/8" BSPP (G)	1/4" BSPP (G)	2
AM20-250-4G	Single Row Inline Manifold	22.35 mm	3/8" BSPP (G)	1/4" BSPP (G)	4
AM20-250-6G	Single Row Inline Manifold	22.35 mm	3/8" BSPP (G)	1/4" BSPP (G)	6
AM20-250-8G	Single Row Inline Manifold	22.35 mm	3/8" BSPP (G)	1/4" BSPP (G)	8
AM30-375-2G	Single Row Inline Manifold	25.4 mm	1/2" BSPP (G)	3/8" BSPP (G)	2
AM30-375-4G	Single Row Inline Manifold	25.4 mm	1/2" BSPP (G)	3/8" BSPP (G)	4
AM30-375-6G	Single Row Inline Manifold	25.4 mm	1/2" BSPP (G)	3/8" BSPP (G)	6
AM30-375-8G	Single Row Inline Manifold	25.4 mm	1/2" BSPP (G)	3/8" BSPP (G)	8